

Publications 1990 to 1999

1990

- [26] *On the low temperature, canted ferrimagnetic structures of $Er_2Fe_{14}B$ and $Tm_2Fe_{14}B$*
J.M. Cadogan
J. Less-Common Metals **163** 219-225 (1990)
- [27] *Magnetism and crystallization of amorphous $Sc_2Fe_{14}B$*
J.M. Cadogan, R.K. Day, J.B. Dunlop and C.P. Foley
J. Less-Common Metals **158** L45-49 (1990)
- [28] *Magnetic properties of new ternary $R_6Ga_3Fe_{11}$ compounds*
Hong-Shuo Li, Bo-Ping Hu, J.M. Cadogan, J.M.D. Coey and J.P. Gavigan
J. Appl. Phys. **67** 4841-3 (1990)

1991

- [29] *Variation of A_{20} with nitrogen content in $Sm_2Fe_{17}N_{3-\delta}$*
Hong-Shuo Li and J.M. Cadogan
Solid State Commun. **80** 905-908 (1991)
- [30] *Mineralogy and chemistry of a cambric latosol developed from a Pelitic rock from the Bambui group, State of Minas Gerais, Brazil*
L.C.A.Barbosa, J.D.Fabris, M. Resende, J.M.D. Coey, A.T. Goulart, J.M. Cadogan and E.G. da Silva
R.Bras.Ci.Solo, Campinas **15** 259-266 (1991)
- [31] *A Mössbauer study of micro-crystalline $YFe_{10}V_2$*
J.M. Cadogan
J. Alloys and Compounds **177** L25-29 (1991)
- [32] *Elimination of T_2 decay problems in Zeeman-perturbed NQR experiments*
G.J. Bowden, J.M. Cadogan, J. Khachan and R.P. Starrett
J. Mag. Res. **93** 603-608 (1991)

1992

- [33] *^{169}Tm Mössbauer investigation of thulium pyrogermanate*
G.A. Stewart, J.M. Cadogan and A.V.J. Edge
J.Phys. : Condens. Matter **4** 1849-1858(1992)
- [34] *Analysis of the unusual temperature dependence of the anisotropy constant K_1 of $Y_2Fe_{14}B$*
J.M. Cadogan and Hong-Shuo Li
J. Magn. Magn. Mater. **110** L15-19 (1992)
- [35] *Spin-reorientations in $(Er,Nd)_2Fe_{14}B$*
J.M. Cadogan and Hong-Shuo Li
J. Magn. Magn. Mater. **110** L20-24 (1992)

1992 (continued)

- [36] *High-field planar magnetic structures in $Er_2Fe_{14}B$*
Hong-Shuo Li and J.M. Cadogan
J. Magn. Magn. Mater. **116** 361-371 (1992)
- [37] *Origin of the anomalous temperature dependence of the Nd sublattice magnetization in $Nd_2Fe_{14}B$*
Hong-Shuo Li and J.M. Cadogan
Solid State Commun. **81** 283-286 (1992)
- [38] *High-field planar magnetization processes in $Tm_2Fe_{14}B$*
Hong-Shuo Li and J.M. Cadogan
J. Phys.: Condens. Matter **4** 6629-6638 (1992)
- [39] *Determination of the leading crystal-field parameter A_{20} in $NdFe_{11}TiN_{1-\delta}$ compounds*
Hong-Shuo Li and J.M. Cadogan
J. Magn. Magn. Mater. **109** L153-158 (1992)
- [40] *Magnetic behaviour and site occupation in $YFe_{12-x}V_x$ ($x=2,3,4$)*
J.M. Cadogan, J. Jing and S.J. Campbell
Hyp. Int. **68** 299-302 (1992)
- [41] *Variation of crystal-field coefficients with carbon content in the $Sm_2Fe_{17}C_{3-\delta}$ series of compounds*
Hong-Shuo Li and J.M. Cadogan
Solid State Commun. **82** 121-125 (1992)
- [42] *Exchange and crystal-field interactions in $Sm_2Fe_{17}N_{3-\delta}$*
Hong-Shuo Li and J.M. Cadogan
J. Magn. Magn. Mater. **103** 53-57 (1992)
- [43] *A Mössbauer study of spin reorientation in YCo_4B*
J.M. Cadogan, Hong-Shuo Li, S.J. Campbell and J. Jing
Solid State Commun. **81** 121-123 (1992)
- [44] *^{57}Fe Mössbauer study of the tetragonal $RFe_{10}SiC_{0.5}$ ($R=Nd$ and Sm) compounds*
J.M. Cadogan, Hong-Shuo Li, M.A. Fremy and J.M.D. Coey
Proc Seventh Int. Symp. on Magnetic Anisotropy and Coercivity in Rare-Earth, Transition Metal Alloys, Canberra, July 1992 pp 50-56
- [45] *Direct determination of the domain wall energies and widths in two-sublattice magnetic systems: application to $R_2Fe_{14}B$ ($R=Nd, Pr$ and Dy)*
J.M. Cadogan, D. Givord, Hong-Shuo Li, M.F. Rossignol and D.W Taylor
Proc Seventh Int. Symp. on Magnetic Anisotropy and Coercivity in Rare-Earth, Transition Metal Alloys, Canberra, July 1992 pp 57-67
- [46] *Ball milling of Nd, Fe and B powders*
S.J. Campbell, K.D. Jayasuriya, A. Calka, J.M. Cadogan, J. Jing and E. Wu
Proc Seventh Int. Symp. on Magnetic Anisotropy and Coercivity in Rare-Earth, Transition Metal Alloys, Canberra, July 1992 pp 68-78

1992 (continued)

- [47] *Coercivity model for nano-crystalline materials*
Hong-Shuo Li and J.M. Cadogan
Proc Seventh Int. Symp. on Magnetic Anisotropy and Coercivity in Rare-Earth, Transition Metal Alloys, Canberra, July 1992 pp 173-184
- [48] *Effect of interstitial N and C atoms on the crystal-field interactions in the 2:17 and 1:12 phases*
Hong-Shuo Li and J.M. Cadogan
Proc Seventh Int. Symp. on Magnetic Anisotropy and Coercivity in Rare-Earth, Transition Metal Alloys, Canberra, July 1992 pp 185-195

1993

- [49] *A ^{169}Tm Mössbauer investigation of $\text{Tm}_2\text{Cu}_2\text{O}_5$*
G.A. Stewart and J.M. Cadogan
J.Magn. Magn. Mater. **11** 8322-30 (1993)
- [50] *Laser glazing of NdFeB magnets*
D. Bingham, J. Jing, S.J. Campbell and J.M. Cadogan
Mat. Sci. Eng. **A160** 107-111 (1993)
- [51] *A Mössbauer study of a new intermetallic phase $\text{Nd}_2(\text{Fe,Ti})_{19}$ and its nitride*
J.M. Cadogan, R.K. Day, J.B. Dunlop and A. Margarian
J. Alloys and Compounds **201** L1-3 (1993)
- [52] *On the ternary intermetallic phases formed by $\text{YFe}_{12-x}\text{Ga}_x$ ($1 \leq x \leq 2$)*
J.M. Cadogan, Hong-Shuo Li, A. Margarian and J.B. Dunlop
Materials Letters **18** 39-43 (1993)
- [53] *Applications of Mössbauer Spectroscopy in NDT*
J.Jing, S.J. Campbell and J.M. Cadogan
Non-Destructive Testing -- Australia **30** 6-8 (1993)
- [54] *Site occupation in ^{57}Fe doped $\text{NdCo}_{12}\text{B}_6$: Mössbauer analysis*
S.J. Campbell, J.M. Cadogan, X.L. Zhao and E. Wu
Hyp. Int. **78** 463-7 (1993)
- [55] *Investigation of magnetic ordering in $\text{RCo}_{12}\text{B}_6$ ($\text{R}=\text{Y}, \text{Nd}$) by ^{57}Fe Mössbauer Spectroscopy*
J.M. Cadogan, S.J. Campbell, X.L. Zhao and E. Wu
Aust. J. Phys. **46** 679-88 (1993)

1994

- [56] *Spin-reorientations and the Susceptibility tensor*
J.M. Cadogan and S.A. Dann
J. Magn. Magn. Mater. **131** L5-8 (1994)
- [57] *Structural properties of a novel magnetic ternary phase $\text{Nd}_3(\text{Fe}_{1-x}\text{Ti}_x)_{29}$ $0.04 \leq x \leq 0.06$*
H.S. Li, J.M. Cadogan, R.L. Davis, A. Margarian and J.B. Dunlop
Solid State Commun. **90** 487-492 (1994)

1994 (continued)

- [58] *A hard magnetic property study of a novel $Sm_3(Fe,Ti)_{29}N_y$ nitride*
B.P. Hu, G.C. Liu, Y.Z. Wang, B. Nasunjilegal, R.W. Zhao, F.M. Yang, H.S. Li and J.M. Cadogan
J. Phys.: Condens. Matter **6** L197-200 (1994)
- [59] *Magnetic properties of a novel $Sm_3(Fe,Ti)_{29}$ phase*
F.M. Yang, B. Nasunjilegal, H.Y. Pan, J.L. Wang, R.W. Zhao, B.P. Hu, Y.Z. Wang, H.S. Li and J.M. Cadogan
J. Magn. Magn. Mater. **135** 298-302 (1994)
- [60] *Magnetic properties of $R_3(Fe,Ti)_{29}C_y$ carbide*
B.P. Hu, G.C. Liu, Y.Z. Wang, B. Nasunjilegal, N. Tang, F.M. Yang, H.S. Li and J.M. Cadogan
J. Phys.: Condens. Matter **6** L595-599 (1994)
- [61] *Structural and magnetic properties of the novel ternary compound $Y_3(Fe,Ti)_{29}$*
H.S. Li, D. Courtois, J.M. Cadogan, J.M. Xu and S.X. Dou
J. Phys.: Condens. Matter **6** L771-5 (1994)
- [62] *Mössbauer line-sharpening: application to magnetically split spectra*
W. Wulfhekel and J.M. Cadogan
Hyp. Int. **92** 1195-1202 (1994)
- [63] *Novel ternary, iron-rich, rare-earth iron silicides $R_3(Fe_{1-x}Si_x)_{22}$ ($x=0.16$)*
J.M. Cadogan, Hong-Shuo Li, Jian-Min Xu, S.X. Dou and H.K. Liu
Hyp. Int. **94** 1921-7 (1994)
- [64] *The ferromagnetic to antiferromagnetic transition in $La_{1-x}Y_xMn_2Si_2$: ^{57}Fe compounds*
Hong-Shuo Li, J.M. Cadogan, X.L. Zhao and S.J. Campbell
Hyp. Int. **94** 1943-9 (1994)
- [65] *^{169}Tm Mössbauer investigation of the compounds TmT_2Ge_2 ($T=Fe, Ni, Cu$)*
G.A. Stewart, P.W. Thompson, J.M. Cadogan and Hong-Shuo Li
Hyp. Int. **90** 407-410 (1994)
- [66] *A ^{57}Fe Mössbauer study of a novel series of ternary rare-earth, iron-rich intermetallics: $Nd(Fe_{1-x}Ti_x)_{6+y}$ ($x=0.1$ and $0 \leq y \leq 0.5$)*
Hong-Shuo Li, J.M. Cadogan, Jian-Min Xu, S.X. Dou and H.K. Liu
Hyp. Int. **94** 1929-35 (1994)
- [67] *Structural and magnetic properties of $Nd_2(Fe,Ti)_{19}$*
J.M. Cadogan, H.S. Li, R.L. Davis, A. Margarian, S.J. Collocott, J.B. Dunlop and P.B. Gwan
J. Appl. Phys. **75** 7114-6 (1994)
- [68] *Magnetic coupling in $Gd(Fe_{6-x}Cr_x)Al_6$: ^{57}Fe Mössbauer study*
Hong-Shuo Li, J.M. Cadogan, X.L. Zhao and S.J. Campbell
Hyp. Int. **94** 1891-5 (1994)
- [69] *Mössbauer effect study of ^{57}Fe doped $LaCo_{12}B_6$*
E. Wu, J.M. Cadogan, S.J. Campbell and X.L. Zhao
Hyp. Int. **94** 1903-8 (1994)

1994 (continued)

- [70] *Magnetic properties of a novel Pr-Fe-Ti phase*
H.S. Li, Suharyana, J.M. Cadogan, G.J. Bowden, J.M. Xu, S.X. Dou and H.K. Liu
J. Appl. Phys. **75** 7120-1 (1994)
- [71] *Spin-reorientation in DyFe₁₀Cr₂: a ⁵⁷Fe Mössbauer study*
J.M. Cadogan, D.H. Ryan and J.B. Dunlop
Hyp. Int. **94** 1951-7 (1994)
- [72] *Magnetic properties of a novel Sm₃(Fe,Ti)₂₉N_y nitride*
F.M. Yang, B. Nasunjilegal, J.L. Wang, H.Y. Pan, W.D. Qing, R.W. Zhao, B.P. Hu, Y.Z. Wang, G.C. Liu, H.S. Li and J.M. Cadogan
J. Appl. Phys. **76** 1971-3 (1994)
- [73] *Magnetic properties of Gd(Fe_{1-x}Co_x)₉Si₂ alloys*
Suharyana, J.M. Cadogan, H.S. Li and G.J. Bowden
J. Appl. Phys. **75** 7122-4 (1994)
- [74] *A ⁵⁷Fe Mössbauer study of Nd(Fe_{0.5}Co_{0.5})₉Si₂*
J.M. Cadogan, H.S. Li, Suharyana and G.J. Bowden
Hyp. Int. **94** 1885-1890 (1994)
- [75] *X-ray structural studies of nitrogen diffusion in Dy₂Fe₁₇*
Er. Girt, Z. Altounian, X. Chen, M. Mao, D.H. Ryan, M. Sutton and J.M. Cadogan
J. Appl. Phys. **76** 6038-6040 (1994)
- [76] *Structural and magnetic properties of RFe₆Ge₆; (R=Y, Gd, Tb, Er)*
Y.B. Wang, D. Wiarda, D.H. Ryan and J.M. Cadogan
IEEE Trans. Magn. **30** 4951-3 (1994)
- [77] *New rare-earth intermetallic phases R₃(Fe,M)₂₉X_n (R=Ce, Pr, Nd, Sm, Gd; M=Ti, V, Cr, Mn; X=H, C, N) (INVITED)*
J.M. Cadogan, H.S. Li, A. Margarian, J.B. Dunlop, D.H. Ryan, S.J. Collocott and R.L. Davis
J. Appl. Phys. **76** 6138-6143 (1994)
- [78] *Magnetic properties of interstitially modified Nd₃(Fe,Ti)₂₉X_n compounds*
D.H. Ryan, J.M. Cadogan, A. Margarian and J.B. Dunlop
J. Appl. Phys. **76** 6150-2 (1994)
- [79] *Preparation, high temperature phase relations and magnetic properties of R₃(Fe,Ti)₂₉ and their interstitial nitrides (R=Pr, Nd and Sm)*
A. Margarian, J.B. Dunlop, S.J. Collocott, H.S. Li, J.M. Cadogan and R.L. Davis
Proc Eighth Int. Symp. On Magnetic Anisotropy and Coercivity in Rare-Earth, Transition Metal Alloys, Birmingham, 1994 pp 353-360

1995

- [80] *Two-stage nano-structural formation process in Fe-Nb-B soft magnetic alloys*
K. Suzuki, J.M. Cadogan, J.B. Dunlop and V. Sahajwalla
Appl. Phys. Letters **67** 1369-71 (1995)

1995 (continued)

- [81] *Magnetic properties of $Y_3(Fe,Ti)_{29}$*
H.S. Li, D. Courtois, J.M. Cadogan, B.P. Hu and W.S. Zhan
IEEE Trans. Magn. **31** 3680-2 (1995)
- [82] *A Mössbauer study of $Sm_2Fe_{14}Ga_3C_x$ ($x=0-2.5$)*
H.S. Li, Suharyana, J.M. Cadogan, B.P. Hu, B.G. Shen, F.W. Wang and W.S. Zhan
IEEE Trans. Magn. **31** 3716-8 (1995)
- [83] *Phase formation and magnetic properties of $Dy_3(Fe,V)_{29}$*
D. Courtois, H.S. Li and J.M. Cadogan
IEEE Trans. Magn. **31** 3677-9 (1995)
- [84] *Crystal fields in $R_3(Fe,Ti)_{29}N_x$*
H.S. Li, J.M. Cadogan, B.P. Hu, F.M. Yang, B. Nasunjilegal, A. Margarian and J.B. Dunlop
J. Magn. Mater. **140-4** 1037-8 (1995)
- [85] *Magnetic properties of $ErCo_{12}B_6(^{57}Fe)$*
X.L. Zhao, J.M. Cadogan and S.J. Campbell
J. Magn. Mater. **140-4** 959-960 (1995)
- [86] *A Mössbauer study of the ferromagnetic to antiferromagnetic transition in $La_{1-x}Y_xMn_2Si_2$ (^{57}Fe)*
Hong-Shuo Li, J.M. Cadogan, X.L. Zhao and S.J. Campbell
J. Magn. Mater. **147** 91-6 (1995)

1996

- [87] *Structure and magnetic properties of the ternary compound $Gd_3(Fe,Ti)_{29}$*
H.S. Li, Jian-Min Xu, D. Courtois, J.M. Cadogan, H.K. Liu and S.X. Dou
J. Phys.: Condens. Matter **8** 2881-6 (1996)
- [88] *Determination of the easy magnetisation direction by X-ray diffraction analysis at room temperature in the $R_3(Fe,M)_{29}$ compounds: ($R=Pr, Nd, Sm, Gd, Tb, Dy$ & Y ; $M=Ti$ & V)*
D. Courtois, H.S. Li and J.M. Cadogan
Solid State Commun. **98** 565-570 (1996)
- [89] *The use of wide ballistic cavities to investigate local weak localisation processes induced by geometric scattering*
R.P. Taylor, R. Newbury, A.S. Sachrajda, P.T. Coleridge, P. Zawadzki, R.B. Dunford, Y. Feng, J.P. Bird, C.R. Leavens, J.M. Cadogan, J.A. Adams, P.J. Kelly, M. Davies and S.A. Brown
Semiconductor Science and Technology **11** 1189-1197 (1996)
- [90] *Structural and magnetic properties of the novel compound $Dy_3(Fe,Ti)_{29}$*
A. Margarian, H.S. Li, J.B. Dunlop and J.M. Cadogan
J. Alloys and Compounds **239** 27-30 (1996)
- [91] *Neutron depolarization study of magnetic order in $a-Fe_{90}Sc_{10}D_x$; ($0 \leq x \leq 28$)*
D.H. Ryan, J.M. Cadogan and S.J. Kennedy
J. Magn. Mater. **162** 55-59 (1996)

1996 (continued)

- [92] *Formation and magnetic properties of a novel $Gd_3(Fe,Ti)_{29}N_y$ nitride*
B. Nasunjilegal, F.M. Yang, J.J. Zhu, H.Y. Pan, J.L. Wang, W.D. Qin, N. Tang, B.P. Hu, Y.Z. Wang, H.S. Li and J.M. Cadogan
Acta Phys. Sinica (Overseas Edition) **5** 544-551 (1996)
- [93] *Exchange and crystal field interactions in $R_3(Fe,Ti)_{29}$ and $R_3(Fe,Ti)_{29}N_x$ ($R=Nd, Sm$)*
H.S. Li, D. Courtois and J.M. Cadogan
J. Appl. Phys. **79** 4622-4 (1996)
- [94] *Time-temperature-transformation study of a nanocrystalline $Fe_{91}Zr_7B_2$ soft magnetic alloy*
K. Suzuki, J.M. Cadogan, V. Sahajwalla, A. Inoue and T. Masumoto
J. Appl. Phys. **79** 5149-51 (1996)
- [95] *A ^{57}Fe Mössbauer study of $Gd_2Fe_{17-x}Ga_xC_2$ ($x=0-6$)*
B.P. Hu, H.S. Li, B.G. Shen, Suharyana, F.W. Wang, J.M. Cadogan and W.S. Zhan
J. Appl. Phys. **79** 5713-5 (1996)
- [96] *Neutron depolarization study of magnetic order in $a-Fe_xZr_{100-x}$ ($x=90-93$), $a-Fe_{90}Sc_{10}$ and their hydrides*
D.H. Ryan, J.M. Cadogan and S.J. Kennedy
J. Appl. Phys. **79** 6161-3 (1996)
- [97] *Observation of independent iron and rare-earth ordering in RFe_6Ge_6 : ($R=Y, Gd-Lu$) compounds*
D.H. Ryan and J.M. Cadogan
J. Appl. Phys. **79** 6004-6 (1996)
- [98] *Mössbauer spectroscopy and rare-earth permanent magnets (INVITED)*
J.M. Cadogan
J. Phys. D: Appl. Phys. **29** 2246-2254 (1996)
- [99] *The role of the M element in nanocrystalline Fe-M-B ($M=Zr, Hf$ and Nb) soft magnetic alloys*
K. Suzuki, V. Sahajwalla, J.M. Cadogan, A. Inoue and T. Masumoto
Mater. Sci. Forum **225-7** 665-670 (1996)
- [100] *Mössbauer study of amorphous and nanocrystalline Fe-Nb-B alloys*
K. Suzuki, J.M. Cadogan, V. Sahajwalla, A. Inoue and T. Masumoto
Mater. Sci. Forum **225-7** 707-712 (1996)
- [101] *The magnetic behaviour of $La_{0.85}Y_{0.15}Mn_2Si_2$: ^{57}Fe Mössbauer analysis*
Hong-Shuo Li, X.L. Zhao, S.J. Campbell and J.M. Cadogan
Hyp. Int. C. **1** 123-6 (1996)
- [102] *Magnetic properties of $TbCo_{12}B_6$ and $SmCo_{12}B_6$*
X.L. Zhao, S.J. Campbell, J.M. Cadogan, H.S. Li and P.W. Thompson
ICAME-95 Conference Proceedings (Italian Physical Society, Bologna) **50** 211-4 (1996)
- [103] *Melt-spun $NdFe_9Si_2$*
J.M. Cadogan, Y.B. Wang, D.H. Ryan and S.J. Campbell
ICAME-95 Conference Proceedings (Italian Physical Society, Bologna) **50** 393-6 (1996)

1996 (continued)

- [104] *Kinetics and Mössbauer spectroscopy studies of direct iron ore reduction*
V. Sahajwalla, J.M. Cadogan and A. Zhou
Proc. The Australasian Inst. of Mining and Metallurgy Annual Conference
1996 Ballarat, Victoria pp 267-72

1997

- [105] *Electronic and structural properties of iron(II) and nickel(II) cationic complexes of 2-(Pyrazine-2-ylamino)-4-(pyridin-2-yl)thiazole.*
B.J. Childs, J.M. Cadogan, D.C. Craig, M.L. Scudder and H.A. Goodwin
Aust. J. Chem. **50** 129-138 (1997)
- [106] *Artificial weathering of the ordinary chondrite Allegan: Implications for the presence of Cl as a structural component in akaganeite*
P.A. Bland, S.P. Kelley, F.J. Berry, J.M. Cadogan and C.T. Pillinger
American Mineralogist **82** 1185-1195 (1997)
- [107] *Magnetic properties of novel compounds $R_3(Fe,Cr)_{29}X_y$: ($R=Nd, Sm$ and $X=N, C$)*
Y.Z. Wang, H.S. Li, X.F. Han, B.P. Hu, G.C. Liu, C.P. Yang, N. Tang, F.M. Yang and J.M. Cadogan
J. Alloys and Compounds **260** 277-283 (1997)
- [108] *The easy magnetization directions in R_6Fe_{23} ($R=Rare-Earth$): A crystal field analysis*
G.J. Bowden, J.M. Cadogan, H. de Leon and D.H. Ryan
J. Appl. Phys. **81** 4186-8 (1997)
- [109] *Ru-induced loss of long-range magnetic order in $a-Fe_{90-x}Ru_xZr_{10}$*
D.H. Ryan, J.M. Cadogan and Z. Tun
J. Appl. Phys. **81** 4407-9 (1997)
- [110] *Magnetic force microscopy study of nanocrystalline $Fe_{91}Zr_7B_2$ soft magnetic alloy*
K. Suzuki, D. Wexler, J.M. Cadogan, V. Sahajwalla, A. Inoue and T. Masumoto
Mat. Sci. Eng. **A226-228** 554-558 (1997)
- [111] *The role of alloying elements in Cu-free nanocrystalline Fe-Nb-B soft magnetic alloys*
K. Suzuki, J.M. Cadogan, V. Sahajwalla, A. Inoue and T. Masumoto
Mat. Sci. Eng. **A226-228** 586-589 (1997)
- [112] *On the nanostructural formation process in Fe-M-B ($M=Zr$ or Nb) soft magnetic alloys*
K. Suzuki, J.M. Cadogan, V. Sahajwalla, A. Inoue and T. Masumoto
Mater. Sci. Forum **235-8** 765-770 (1997)
- [113] *Magnetic properties of $Nd_2Fe_{14-x}Be_xB$*
H.S. Li, R.C. Mohanty, A. Raman, C.G. Grenier and J.M. Cadogan
IEEE Trans. Magn. **33** 3868-70 (1997)
- [114] *Magnetization curves of a $Tb_3(Fe,V)_{29}$ single crystal*
D. Courtois, H.S. Li, J.M. Cadogan, D. Givord and E. Bourgeat-Lami
IEEE Trans. Magn. **33** 3844-6 (1997)

1997 (continued)

- [115] *Are there giant magnetic moments in Fe-nitrides ? (INVITED)*
J.M. Cadogan
Aust. J. Phys. **50** 1093-1102 (1997)
- [116] *Magnetism and superconductivity in RNi_2B_2C compounds (R =rare-earth and Y) (INVITED)*
J.M. Cadogan
Aust. J. Phys. **50** 1103-1117 (1997)

1998

- [117] *A structural and magnetic study of $Nd(Fe, Ni)_{8.5}Si_{2.5}$*
S.J. Harker, J.M. Cadogan, G.A. Stewart, S.J. Campbell, S.J. Kennedy and A.V.J. Edge
J. Magn. Magn. Mater. **183** 101-110 (1998)
- [118] *Donor atom set and the spin state of iron(II). Bis(ligand)iron(II) and nickel(II) complexes of 2,2'-bipyridine-6-carbothioamide and 2,2'-bipyridine-6-carboxamide*
B.J. Childs, J.M. Cadogan, D.C. Craig, M.L. Scudder and H.A. Goodwin
Aust. J. Chem. **51** 273-284 (1998)
- [119] *Critical behaviour in the temperature dependence of the coercivity in nanocrystalline soft magnetic materials*
K. Suzuki and J.M. Cadogan
Philos. Mag. **77** 371-379 (1998)
- [120] *The magnetic structure of YFe_6Ge_6*
J.M. Cadogan, D.H. Ryan, I.P. Swainson and O. Moze
J. Phys. Condensed Matter **10** 5383-5388 (1998)
- [121] *The random magnetocrystalline anisotropy in two-phase nanocrystalline systems*
K. Suzuki and J.M. Cadogan
Physical Review B. **58** 2730-2739 (1998)
- [122] *Atomic volume dependence of the spin state in Fe-rich FCC Fe-Pt-Ru alloys*
T. Goto, X. Ono, T. Kanomata, K. Watanabe, H. Yoshida and J.M. Cadogan
J. Magn. Magn. Mater. **177-181** 1421-2 (1998)
- [123] *The ferromagnet to spin glass crossover: a neutron depolarisation study (INVITED)*
D.H. Ryan, Zin Tun and J.M. Cadogan
J. Magn. Magn. Mater. **177-181** 57-62 (1998)
- [124] *The effect of coherent uniaxial anisotropies on the grain size dependence of coercivity in nanocrystalline soft magnetic alloys*
K. Suzuki, G. Herzer and J.M. Cadogan
J. Magn. Magn. Mater. **177-181** 949-950 (1998)
- [125] *Magnetic properties of single-crystal $Y_3(Fe_{0.93}V_{0.07})_{29}$*
D. Courtois, Y. Amako, D. Givord, J.M. Cadogan and H.S. Li
J. Magn. Magn. Mater. **177-181** 995-996 (1998)

1998 (continued)

- [126] *Ultra-high coercive force in epitaxial Fe-Pt(001) thin films*
Y. Ide, T. Goto, K. Kikuchi, R. Watanabe, J. Onagawa, H. Yoshida and J.M. Cadogan
J. Magn. Magn. Mater. **177-181** 1245-1246 (1998)
- [127] *Magnetic structure of Tb substituted LaMn₂Si₂ intermetallics*
M. Lazzarini, O. Moze, R. Sonntag, M. Hofmann, H.S. Li, J.M. Cadogan and D. Courtois
Mat. Sci. Forum **278-281** 548-552 (1998)
- [128] *Proceedings of the International Conference on Magnetism (ICM1997)*
Cairns 27 July-1 Aug. 1997, Editors S.J. Campbell, J.G. Booth, J.M. Cadogan, T.J. Hicks, J.J. Rhyne, T. Shinjo and G. Wiesinger
North-Holland – Amsterdam, Published as Volumes **177-181** of J. Magn. Magn. Mater. (1998)

1999

- [129] *Magnetic transitions in La_{1-x}Y_xMn₂Si₂: Mössbauer investigation (4.2-520 K)*
S.J. Campbell, J.M. Cadogan, X.L. Zhao, M. Hofmann and H.S. Li
J. Phys. Condensed Matter **11** 7835-7850 (1999)
- [130] *The magnetic structure of ErFe_{11.5}Ta_{0.5}*
J.M. Cadogan, D.H. Ryan, I.P. Swainson and R. Gagnon
J. Phys. Condensed Matter **11** 8975-8980 (1999)
- [131] *A Mössbauer study of the gas based direct reduction of iron ore fines and application of Johnson-Mehl-Avrami kinetic model to the reduction process*
A. Zhou, K. Suzuki, V. Sahajwalla and J.M. Cadogan
Scand. J. Metallurgy **28** 65-69 (1999)
- [132] *Magnetic ordering in Re-doped α-Fe₉₀Zr₁₀*
D.H. Ryan, Zin Tun and J.M. Cadogan
J. Appl. Phys. **85** 4506-4508 (1999)
- [133] *The effect of the spontaneous magnetization in the grain boundary region on the magnetic softness of nanocrystalline materials*
K. Suzuki and J.M. Cadogan
J. Appl. Phys. **85** 4400-4402 (1999)
- [134] *Formation and decomposition of Fe₃B/Nd₂Fe₁₄B nanocomposite structure in Fe-Nd-B-Cr melt-spun ribbons under isothermal annealing*
K. Suzuki, J.M. Cadogan, M. Uehara, S. Hirosawa and H. Kanekiyo
J. Appl. Phys. **85** 5914-5916 (1999)
- [135] *Magnetic properties and crystallization of amorphous NdFe₉Si₂*
J.M. Cadogan, K. Suzuki and D. Giel
J. Magn. Magn. Mater. **196** 705-706 (1999)
- [136] *Magnetization process of epitaxial FePt film with granular structure*
T. Goto, Y. Ide, H. Abe, K. Watanabe, J. Onagawa, H. Yoshida and J.M. Cadogan
J. Magn. Magn. Mater. **198-199** 486-488 (1999)

1999 (continued)

- [137] *Role of the residual amorphous phase on the intergranular magnetic coupling in nanocrystalline magnetic alloys*
K. Suzuki and J.M. Cadogan
J. Magn. Magn. Mater. **203** 229-230 (1999)
- [138] *Magnetite in 'Oxidised' and 'Reduced' CV chondrites*
P.A. Bland, E. Hoffman, R. Jones, G. Cressey and J.M. Cadogan
Meteoritics and Planetary Science **34** A12-13 (1999)
- [139] *⁵⁷Fe Mössbauer spectroscopy studies of meteorite finds: implications for weathering rates, meteorite flux and the interpretation of O-isotope data*
P.A. Bland, F.J. Berry, A.J.T. Jull, T.B. Smith, A.W.R. Bevan, J.M. Cadogan, A.S. Sexton, I.A. Franchi and C.T. Pillinger
Paper T6/5, Proceedings of the International Conf. on the Applications of the Mössbauer Effect, ICAME99, Garmisch-Partenkirchen, August 1999.