The Winnipeg Institute for Theoretical Physics¹ Annual Report

September 1995 – August 1996

¹Web site: http://www.physics.umanitoba.ca/Research/witp.html

Contents

1	Direc	tor's Narrative Report	2
2	Curre	ent List of Members (September, 1996)	3
	2.1	Permanent Members	3
	2.2	Associate Members	4
	2.3	Graduate Students	4
	2.4	Summer Undergraduate Research Students	4
3	Resea	arch Interests of Permanent Members	5
4	Resea	arch Activities	0
	4.1	Seminars	0
	4.2	Visiting Scientists	1
	4.3	Graduate Degrees Supervised	2
	4.4	Publications of Associate Members/Graduate Students	2
	4.5	Publications of Permanent Members	7
5	Finai	ncial	1
	5.1	Statement of Income and Expenditures	31
	5.2	Financial Stability, Growth, etc	32

1 Director's Narrative Report

The Winnipeg Institute of Theoretical Physics was created to support theoretical physics research in Manitoba. It has carried out this mandate by encouraging collaboration between members of the Institute, by financially supporting expert seminars in the research areas of concern, and by financially supporting the long term visits of internationally respected scientists to the Institute so as to facilitate collaboration of these scientists with Institute members. The 12 permanent members of this Institute are drawn from the University of Manitoba, the University of Winnipeg, and Brandon University.

The past year (1995-1996) was the sixth year of the Institute's existence. It saw a continuation of the activities of previous years with research seminars being given by 11 short term out-of-province visitors. Other researchers connected with and taking part in the Institute activities were the following: one research associate, three postdoctoral fellows, and six graduate students.

For the 1995-1996 academic year the list of invited speakers is found in section 4.1 of the report. Visiting scientists, whose stay lasted longer than one week, are listed in section 4.2. The list of graduate degrees awarded appears in section 4.3, and the published research work of members, associate members and graduate students is found in sections 4.4 and 4.5. The total number of publications by full members listed in section 4.5 is 38 in 1995-6 and a total of 154 in 1990-96. These numbers do not count twice those that are collaborative publications among members of the Institute. Section 5.1 contains a summary of income and expenditures for the period September 1, 1995 to September 30, 1996.

Plans for the forthcoming year continue our established programs. As in previous years, the seminar program of invited guest speakers aims to bring to Winnipeg about a dozen new visiting physicists. During the coming year, members of the Institute will begin planning for a proposed Workshop on Innovative Approaches to Curricula in Theoretical Physics, likely to be held in 1999.

Essentially all the funds available to the Institute are expended for the workshop and symposium activities and for the travel funds needed to support visiting scientists. The Institute has no technical support staff or administrative staff. All the required administrative work is done on a volunteer basis by the members of the Institute. The Institute benefits substantially from the financial supplements of members using their individual NSERC Research Crants to defray part of the costs of visitors.

The Institute director for the past academic year has been J.P. Svenne (University of Manitoba), who prepared this report. Other members of the Institute executive were the past director, D.W. Vincent (University of Winnipeg), and the incoming director, J.G. Williams (Brandon University). J.G. Williams begins his term in October 1996. The executive for the 1996-1997 year consists of J.G. Williams, J.P. Svenne and R.L. Kobes (University of Winnipeg), who has agreed to be the director in 1997-1998.

2 Current List of Members (September, 1996)

2.1 Permanent Members

- B. Bhakar¹, Ph.D. (Delhi)
- P.G. Blunden¹, Ph.D (Queen's)
- M.E. Carrington², Ph.D. (SUNY, Stony Brook)
- R.L. Kobes², Ph.D. (Alberta)
- G. Kunstatter², Ph.D. (Toronto)
- P.D. Loly¹, Ph.D. (London)
- T.A. Osborn¹, Ph.D. (Stanford)
- B.W. Southern¹, Ph.D. (McMaster)
- J.P. Svenne¹, Ph.D. (M.I.T.)
- J.M. Vail¹, Ph.D. (Brandeis)
- D.W. Vincent², Ph.D. (Toronto)
- J.G. Williams³, Ph.D. (Birmingham)

 $^{^{1}}$ University of Manitoba

²University of Winnipeg

³Brandon University

2.2 Associate Members

- J.I. Johansson (Research Associate)
- E. Petitgirard (Postdoctoral Fellow)
- C. Soo (Postdoctoral Fellow)
- Huang-Jian Xu (Postdoctoral Fellow)

2.3 Graduate Students

- J. Chen (M.Sc.), (Kobes)
- Yu.V. Gusev (Ph.D., 1996), (Osborn)
- J. Martinez-Cuellar (M.Sc.), (Southern)
- T. Melde (Ph.D.), (Svenne)
- Slaven Peles, (Kobes)
- Iain Stewart (M.Sc., 1996), (Blunden)

2.4 Summer Undergraduate Research Students

- M. Bromirski, May-August, 1996
- E. Emberly, May-August, 1996
- A. Jofre, May-August 1996
- R. Petryk, July-August, 1996
- R. Petryk (Career Focus), May-August, 1995
- M. Potter, May-August 1996
- S. Shelemy, July-August, 1996

3 Research Interests of Permanent Members

B. Bhakar

Present activities are directed towards the understanding of completely integrable and non-integrable field theories in low [(1+1) and (2+1)] dimensions. Therefore, investigations are being carried out to study the behaviour of spin chain models on a lattice in (1+1) dimensions with nearest neighbour interactions only. These models are closely related to nonlinear sigma models.

P.G. Blunden

Electromagnetic interactions in complex and few-nucleon systems are being studied. I am particularly interested in the description of electron scattering at large energy and momentum transfers, the so-called quasi-elastic region, in which one or more constituents are knocked out of the nucleus. In this kinematical regime one can explore different aspects of the nuclear response to learn about two-nucleon correlations, two-body electromagnetic currents, the role of nucleon substructure, and the momentum distribution of the initial struck nucleon.

Another area of interest is in a quantum field theory of mesons and hadrons (QHD). Some of the topics under current investigation include: Dirac-Hartree-Fock calculations for the properties of finite nuclei; hadronic and electromagnetic reactions; a relativistic treatment of mesonic currents: and exact and approximate treatments of the negative energy Dirac sea in finite nuclei.

M.E. Carrington

Finite temperature field theory has applications in many areas. It can be used to study phase transitions like the QCD phase transition in the quark–gluon plasma and the electro–weak phase transition in the standard model. It can also be used to study collective behaviour in many body systems, like the production of thermal masses and the propagation of damped plasma oscillations. Both the imaginary time and real time formalisms are commonly used. The real time formalism is usually considered to be more complicated, but it has the advantage that it produces real time Green functions directly, without involving analytic continuations. Currently I am working on the development of various techniques that can be used to reduce the complexity of finite temperature calculations in the real time formalism.

R.L. Kobes

The general area of research is quantum field theory at finite temperature and density, with applications particularly in particle physics. We are presently interested in a study of properties of high temperature gauge theories such as the quark-gluon plasma, as well as a general investigation of calculational methods in finite temperature field theory.

G. Kunstatter

Gauge theories provide the theoretical basis for virtually all phenomenological descriptions of the fundamental interactions. They are also playing an increasingly important role in our understanding of certain condensed matter systems. The quantization of gauge theories is, however, complicated by the presence of unphysical modes in the classical description, which must be factored out in order to expose the true physical content of the theory. My research uses geometrical techniques to investigate questions concerning gauge dependence in quantized gauge theories such as Quantum Chromodynamics. Chern-Simons theory and Quantum Gravity, both at zero and finite temperature. Most recently, I have been examining the quantum mechanical behaviour of black holes via simplified field theoretic models in two spacetime dimensions. These models are ideal theoretical laboratories for the study of fundamental issues surrounding black hole evaporation, such as the statistical mechanical source of entropy and the endpoint of gravitational collapse.

P.D. Loly

Periodic Systems: I now operate two major themes, one with a nearly-free-electron flavour, and the other concerned with excitations in magnets which has more of a tight-binding flavour.

Quantum Well Spectra: Very recently, postdoctoral fellow Alex Mogilner and I have resolved the recurring question of zero-energy gaps in 1D bandstructures by using quite general analytical results for the eigenvalues of "oscillatory" matrices. This exciting development facilitates another paper, extending some explicit calculations of the energy bands of a number of earlier "exactly soluble" potentials. In 2D and 3D we will use analogues of the Kronig-Penney potential to study bandstructures of mesoscopic ultrasmall quantum box structures now etched routinely in AlGaAs in semiconductor heterostructures which caught our interest as an application of our multi-dimension nearly-free-electron code.

T.A. Osborn

A principal research interest is the investigation of quantum (and classical) evolution in a variety of gauge theories. Using the methods of mathematical physics, the goal is to describe the dynamics of these strongly interacting systems by the development of non-perturbative, analytically explicit approximate solutions. The usefulness of such an approximate dynamics is that it allows detailed physical insights into the fundamental structure of the system, as well as the computation of all observables of interest (such as the stress-energy tensor). For example, the large mass semi-classical expansion of the propagator for an N-body system coupled via the Lorentz force to an arbitrary external electromagnetic field has been recently shown to admit an asymptotic expansion in the reciprocal mass. This expansion is valid to infinite order in the external fields, is manifestly gauge and Lorentz invariant, possesses simple expansion coefficients, and has an a priori determined error bound. The extension of this type of semi-classical description to characterize relativistic quantum theories evolving on Riemannian and pseudo-Riemannian spacetime manifolds and interacting with Yang-Mills fields is currently underway.

B.W. Southern

The nature of excitations in both regular lattices and disordered systems is being investigated using scaling techniques. Quantum spin chains are being studied in an attempt to understand the differences between integer and half-integer spin systems. A study of the effects of disorder on the nature of phase transitions is also in progress. The disorder can be due to the fact that the degrees of freedom in the problem are not located at the sites of a perfect crystal or due to the fact that the interactions have a distribution of possible values. Both real space renormalization group methods and transfer matrix methods are used to study the relationship between the critical exponents of various models on these structures and the geometrical properties, and to explore questions about universality in these systems.

The study of frustrated systems is also an area of active research. Spin glasses are one example where frustration can either prevent a system from ordering or lead to a new type of glassy phase. Frustration can also lead to novel ground states where the symmetry of the ordered phase is no longer represented as a simple vector. The order parameter is more like a rigid body and hence the excitation spectrum is also different. The symmetry of the order parameter can change the nature of the topological defects present in the system and these defects can exhibit nontrivial unbinding transitions as the temperature increases. These problems are being studied using Monte Carlo methods.

J. P. Svenne

Our current work, in collaboration with a group at Padua University (L. Ganton, G. Cattapan, G. Pisent) focuses on pion absorption on very light nuclei. The pion plays an important

role in the understanding of the nucleon-nucleon interaction and in nuclear reactions and structure. As the lightest meson, it is responsible, in the boson-exchange model of the NN interaction, for the longest-range part of the interaction. In addition, it is considered to be the particle, resonating with a nucleon, which gives rise to the lowest-energy and strongest isobar resonance of the nucleon, the Δ resonance. Thus, any treatment of πd reactions and related inelasticities require (at least) the simultaneous description of the $\pi NN-\Delta N-NN$ dynamics. These same processes dominate pion reactions and absorption on other light nuclei, such as 3 He.

Work is in progress on pion absorption on 3H and 3H , with two-cluster final states. Three-nucleon final states will be included in the future. This uses the same basic mechanisms and input on πN , NN and $\pi N\Delta$ interactions as in pion absorption on the deuteron. The three-nucleon system is treated exactly in a Faddeev-based theory. Final-state interactions are correctly taken into account. In addition, the S-wave mechanism important for absorption at low energies, that is normally credited to Koltun and Reitan is being re-examined. It turns out that, despite the vintage (1966) of this mechanism, there are questions relating to it that are not well understood.

Work is also continuing on the complete coupled three–body to four–body theory of the $\pi NNN-NNN$ system, which has been developed by members of the collaboration. This work elaborates the complicated set of coupled integral equations for this problem, which are not amenable to exact solution in the foreseeable future. Approximations and calculational techniques for the solution of these equations will be developed for a simplified, perhaps schematic, model. This could be useful in developing methods for treating more realistic problems.

J.M. Vail

My research is concerned with developing and applying methods to simulate the properties of solid materials. Reliable simulation is an important complement to experiment in studying material properties where subtle variations of chemical composition, crystal structure, electronic configuration, and disorder are crucial, or where time scales, and temperature and pressure regimes are experimentally inaccessible. In 1984, with collaborators, we made a major advance in the atomistic simulation of point defects in ionic materials by combining accurate electronic structure methods for the defect with total energy analysis of the crystal. The method includes consistent boundary conditions, the quantum-mechanical ion-size effect, and lattice distortion and polarization, and is embodied in an automated user-friendly program. The method has been applied to optical and spin resonance properties of color centers and impurities, derivation of effective interatomic forces, hole trapping by impurities in oxides, and quantum diffusion.

Four projects are currently in progress: (1) simulation of complicated laser-active impurity F-type centers, such as $(F_2^+)^*$ in NaF:Mg; (2) overlap effects from the embedding region in the simulation of defects by small clusters (collaboration at Virginia Commonwealth University);

(3) simulation of optical properties of high density luminescent materials: (a) the optical excitation of oxygen in BaF₂; (b) electronic structure and optical properties of PbWO₄ (collaboration at Michigan Technological University).

D.W. Vincent

My general research interests lie in gravitation theory and early universe cosmology. I am currently involved with calculations on multidimensional cosmology solutions of Einstein's equations, which have relevance to the cosmological constant problem, the Anthropic Principle, and the Many-Worlds approach to quantum cosmology .

J.G. Williams

One of the developing trends in general relativity has been the interest in global, as opposed to local, properties of spacetime. My current research uses techniques of differential geometry and algebraic topology to study general relativistic metrics that represent homotopically nontrivial light cone configurations on spacetime manifolds that can be either simply or multiply connected. Progress to date includes the discovery of a number of perfect fluid solutions to the classical Einstein equations representing such twists in the light cone field. Work in (2+1) dimensions has demonstrated the existence of similar interesting solutions for the Einstein-Maxwell equations for a fluid with rotation and electric charge. For (2+1)-dimensional relativity, the manifold that forms the range of mapping for the light cone field has no natural group structure and is merely a set. Because of this, the homotopy analysis of the metric tensor bundle is considerably more complicated than in the usual (3+1)-dimensional case, and new kinds of topological invariants have been shown to arise. Future effort will be directed towards studying the quantization of scalar fields in these kinds of non-globally hyperbolic spacetimes.

4 Research Activities

4.1 Seminars

Date	Speaker	Institution	Title
Sept. 27, 1996	Dr. John Madore	L.P.T.H.E. University of Paris South	Quantum Space-Time and Classical Gravity
Sept. 13, 1996	Dr. Mark Burgess	Oslo College and Inst. of Phys., Univ. of Oslo	Squeezed States and Non-Equilibrium Field Theory
Sept. 5, 1996	Dr. Mikhail Karasev	MIEM, Moscow	Formulae for Quantum Evolution via Geometric Membrane Amplitudes
Aug. 1, 1996	Dr. lan Lawrie	University of Leeds	The Case of the Cheshire Clock
June 11, 1996	Dr. Terry Goldman	Los Alamos NL	Neutrino Clouds
May 21, 1996	Dr. E. Petitgirard	University of Winnipeg	Resummation Scheme in Hot Gauge Theories and the Soft Photon Production Rate
Jan. 26, 1996	Dr. Andrei Barvinsky	Lebedev Physical Inst.	Quantum Cosmology of the Early Inflationary Universe
Dec. 14, 1995	Dr. Walter Stephan	Università di Roma MPI für Physik complex Syst. Stuttgart	A New Perspective on the Lattice Polaron Problem
Dec. 12, 1995	Dr. Richard Epp	UC Davis	The Phase Space of General Relativity in the (2+2) Formalism
Nov. 22, 1995	Dr. David Salopek	University of Alberta	The Nature of Cosmic Time
Oct. 18, 1995	Dr. T. Strobl	Inst. Theor. Phys. Aachen	Informal seminar at UW
Sept. 14, 1995	Dr. Mikhail Karasev	MIEM, Moscow	Membrane Quantization and the Semiclassical Approximation
Sept. 12, 1995	Dr. Tim Evans	Imperial College	Galactic Magnetic Fields from Quantum Field Fluctuations

4.2 Visiting Scientists

Dates	Visitor	Institution
Oct., 1995	T. Strobl	Inst. Theor. Phys. Aachen
Nov. 1995	E. Woolgar	U. of Saskatchewan
Dec. 1995	R. Epp	U. of California
Jan. 1- March 28, 1996	A. Barvinsky	Lebedev Inst.
July 22- Aug. 7, 1996	I. Lawrie	U. of Leeds
July. Aug., 1996	R. Epp	U. of California
July 9 – Sept. 9, 1996	M. Karasev	MIEM, Moscow
Sept. 6 - Sept. 23, 1996	M. Burgess	Oslo College

4.3 Graduate Degrees Supervised

- 1. J. Chen, University of Manitoba M. Sc., October, 1994 (R. Kobes). "Proximity effect and the thermodynamic properties of superlattice systems."
- 2. Sandra Cyr, M.Sc., Oct. 1994 (B.W. Southern). "Multi-Magnon Excitations in One-Dimensional Quantum Spin Chains with NNN Interactions."
- 3. R. Epp, University of Manitoba Ph.D., Sept. 1993 (G. Kunstatter). "Curved Space Quantization, and Dirac vs. Reduced Quantization of Poincare Invariant Gauge Theories."
- 4. Y. Gusev, Ph.D., Oct. 1996 (T.A. Osborn). "Covariant Computations of Heat Kernels in Perturbation Theory."
- 5. Ning Li, University of Manitoba M.Sc., Feb. 1995 (C.H. Woo).
- 6. Domingo Louis-Martinez, University of Manitoba Ph.D Oct. 1994 (G. Kunstatter). "Dirac's Constrained Systems: Two Dimensional Gravity and Spinning Relativistic Particle."
- 7. K. Mak. University of Manitoba M. Sc. September, 1991 (R. Kobes, G. Kunstatter). "Hamiltonian analysis of Yang-Mills fields in a general class of linear gauges."
- 8. K. Mak, University of Manitoba Ph. D., September, 1993, (R. Kobes, G. Kunstatter). "Damping rates and hot gauge theories."
- 9. Iain Stewart, M.Sc., March, 1996 (P.G. Blunden). "Derivative Expansion Approximation of Vacuum Polarization Effects."
- 10. J. Wang, University of Manitoba M. Sc., September, 1992 (R. Kobes). "Finite layers effect in metallic superlattices."

4.4 Publications of Associate Members/Graduate Students

Yu.V. Gusev

- A.O. Barvinsky, T.A. Osborn, and Yu.V. Gusev (1995), "A phase-space technique for the perturbation expansion of Schrödinger propagators", J. Math. Phys., 36 300-61 (1995). (C1)
- 2. A.O. Barvinsky, Yu.V. Gusev, G.A. Vilkovisky, and V.V. Zhytnikov (1995), "Asymptotic behaviors of 1-loop vertices in the gravitational effective action", Class. Quantum Grav. 12, 2157-2172 (1995). (C1)
- 3. A.O. Barvinsky, Yu.V. Gusev. G.A. Vilkovisky, and V. V. Zhytnikov (1995), "The one-loop effective action and trace anomaly in four dimensions", Nucl. Phys. B. 439, 561-582 (1995). (C1)

- 4. A.O. Barvinsky and Yu.V. Gusev (1995), "Heat kernel and one-loop radiation currents by the generating function method", in Proceedings of the Heat Kernel Techniques and Quantum Gravity conference, Winnipeg. Canada, August 1994, Discourses in Mathematics and its Applications, No. 4 (Texas A&M University Press: College Station, Texas, 1995), S. Fulling, ed. pp. 189-202. (C3)
- 5. A.O. Barvinsky, Yu.V. Gusev, G.A. Vilkovisky, and V. V. Zhytnikov (1995), "Covariant curvature expansion and trace anomaly in four dimensions", *ibid* pp. 163-188. (C3)
- 6. A.O. Barvinsky, Yu.V. Gusev, G.A. Vilkovisky, and V.V. Zhytnikov (1994), "The basis of nonlocal curvature invariants in quantum gravity theory. (Third order)", J. Math. Phys. 35, 3525-3542 (1994). (C1)
- 7. A.O. Barvinsky, Yu.V. Gusev, G.A. Vilkovisky, and V.V. Zhytnikov (1994), "Asymptotic behaviors of the heat kernel in covariant perturbation theory", J. Math. Phys. 35, 3543-3559 (1994). (C1)
- 8. A.O. Barvinsky, Yu.V. Gusev. G.A. Vilkovisky, and V.V. Zhytnikov (1994), "Covariant nonlocal effective action", in Proceedings of the fifth Canadian conference on general relativity and relativistic astrophysics, Waterloo, Canada, May 1993 (World Scientific: Singapore, 1994), eds. R. B. Mann and R. G. McLenaghan, p. 147-152. (C3)
- 9. A.O. Barvinsky, Yu.V. Gusev, G.A. Vilkovisky, and V.V. Zhytnikov (1993), "Covariant perturbation theory (IV). Third order in the curvature", report of the University of Manitoba, 192 pp. (University of Manitoba, Winnipeg, 1993). (C)

J. I. Johansson,

- M. Hedayati-Poor, J.I. Johansson and H.S. Sherif (1995), "Relativistic Calculations for Photonuclear Reactions (II): Nonrelativistic Reductions and Nuclear Medium Effects", Nuc. Phys. A593, 377-398 (1995). (C1) e-print archive: nucl-th/9507021.
- 2. J.I. Johansson, H.S. Sherif and G.M. Lotz (1996), "Relativistic Calculations for Photonuclear Reactions (III): A Consistent Relativistic Analysis of (e, e'p) and (γ, p) Reactions", Nuc. Phys. A605, 517-530 (1996). (C1) e-print archive: nucl-th/9603026.
- 3. J.I. Johansson, H.S. Sherif and G.M. Lotz (1996), "Relativistic Analysis of (e, e'p) and (γ, p) Reactions in a Consistent Model", Fourteenth Particle and Nuclei International Conference (PANIC96) Williamsburg, Virgina, USA, May 22-28, 1996. Poster presented by G.M. Lotz. (C3)
- 4. J.I. Johansson and H.S. Sherif (1996), "Spin Observables in Consistent Relativistic Models of (e, e'p) and (γ, p) Reactions", 12^{th} International Symposium on High-Energy Spin Physics (SPIN96), Amsterdam, The Netherlands, September 10-14, 1996, to be published by World Scientific. Presented by J.I. Johansson. (C3)

T. Melde

1. M. Hawton and T. Melde (1995), "Photon number density operator $i\hat{E}\cdot\hat{A}$ ", Phys. Rev. A51, 4186-4190 (1995)

E. Petitgirard

- 1. P. Aurenche, F. Gelis, R. Kobes and E. Petitgirard (1996), "Breakdown of the hard thermal loop expansion near the light-cone", submitted to Z. Phys. C. (C1)
- 2. P. Aurenche, F. Gelis, R. Kobes and E. Petitgirard (1996), "Enhanced photon production rate on the light-cone", Phys. Rev. D (in press). (C1)
- 3. E. Petitgirard (1995), "Soft photon production in quark-gluon plasma", in *The Proceedings of the Workshop on Quantum Infrared Physics*, eds. H.M. Fried and B. Muller (World Scientific, Singapore), 519-524. (C3)
- 4. T. Altherr, E. Petitgirard and T. del Rio Gaztelurrutia (1994), "Axion emission from red giants and white dwarfs". Astropart. Phys. 2, 175. (C1)
- 5. T. Altherr, E. Petitgirard and T. del Rio Gaztelurrutia (1993), "Photon propagation in dense media", Astropart. Phys. 1, 289. (C1)
- 6. P. Aurenche, T. Becherrawy and E. Petitgirard (1993), "Retarded/ advanced correlation functions and soft photon production in the hard loop approximation", preprint ENSLAPP-A-452-93 (hep-ph/9403320).
- 7. P. Aurenche, E. Petitgirard and T. del Rio Gaztelurrutia (1992), "On the three-point function in finite temperature field theory", Phys. Lett. **B297**, 337. (C1)
- 8. T. Altherr, E. Petitgirard and T. del Rio Gaztelurrutia (1993), "Damping rate of a moving fermion", Phys. Rev. **D47**, 703. (C1)
- 9. E. Petitgirard (1992), "Massive fermion dispersion relation at finite temperature", Z. Phys. C54, 673. (C1)

C. Soo

- 1. C. Soo and L.N. Chang (1996), "Invariant Regularization of Anomaly–Free Chiral Theories", VPI-IPPAP-96-3, hep-th/9606174, submitted to Phys. Rev. D. (C1)
- 2. C. Soo and L.N. Chang (1996), "Invariant Regularization of Local Lorentz Invariance and Neutrino Masses", VPI-IPPAP-96-5. *Proceedings of the 28th. International Conference on High Energy Physics*, Warsaw, Poland, 1996. (in press) (C3)
- 3. C. Soo and L.N. Chang (1996), "Chiral Fermions, Gravity, and GUTs", CGPG-94/9-3, Proceedings of the 4th Drexel Symposium 1994, (in press). (C3)

- 4. C. Soo and L.N. Chang (1996), "The Standard Model with Gravity Couplings", Phys. Rev. D53, 5682 (1996). (C1)
- 5. C. Soo (1995), "Self-Dual Variables. Positive Semidefinite Action, and Discrete Transformations in Four-Dimensional Quantum Gravity", Phys. Rev. D52, 3484 (1995). (C1)
- 6. C. Soo and Lee Smolin (1955), "The Chern-Simons Invariant as the Natural Time Variable for Classical and Quantum Cosmology", Nucl. Phys. **B449**, 289 (1995), (C1).
- 7. C. Soo and L.N. Chang (1994), "Superspace Dynamics and Perturbations around Emptiness", Int. J. Mod. Phys. D3, 529 (1994), (C1).
- 8. C. Soo and L.N. Chang (1994), "Einstein Manifolds and SO(3) Instantons: Invariants and Phases", VPI-IHEP-93-4, in *Proceedings of the 5th. Asia Pacific Physics Conference*. Kuala Lumpur. Malaysia (1992), eds. S. P. Chia et al (World Scientific, 1994), (C3).
- 9. C. Soo and L.N. Chang (1992), "BRST Cohomology and Invariants of Four-Dimensional Gravity in Ashtekar Variables", Phys. Rev. D46, 4257-4262 (1992), (C1)
- C. Soo and L.N. Chang (1992), "BRST Invariants of 4D-Gravity in Ashtekar Variables", VPI-IHEP-92/8, in Proceedings of the XXIst. International Conference on Differential Geometric Methods in Theoretical Physics, Nankai, China (1992), (C3).
- 11. C. Soo and L.N. Chang (1991), "Ashtekar's Variables and the Topological Phase of Quantum Gravity", VPI-IHEP-91-2, in *Proceedings of the XXth. Differential Geometric Methods Conference*, New York, N.Y. (1991) eds. S. Catto and A. Rocha (World Scientific, 1991), (C3).

H-J. Xu

- 1. H-J. Xu and B.W. Southern (1996) "Phase Transitions in the 2D XY Antiferromagnet on the Triangular Lattice", J. Phys. A:Math. Gen. 29 L133-L139. (C1)
- 2. B.W. Southern and H-J. Xu (1995) "Monte Carlo Study of the Heisenberg Antiferromagnet on the Triangular Lattice", Phys. Rev. B52, R3836-R3839. (C1)
- 3. B. Bergersen, Z. Racz and H-J. Xu (1995) "Correlations in Ising Chains with Non-integrable Interactions", Phys. Rev. E52, 6031-6036. (C1)
- 4. H-J. Xu and L. Knopoff (1994) "Periodicity and Chaos in a One-dimensional Model of Earthquakes", Phys. Rev. E50, 3577-3581. (C1)
- 5. R. Bhagavatula .K. Chen , C. Jayaprakash and H-J. Xu (1994) "Green's Function Method for Random Fuse Network Problems" , Phys. Rev. E49, 5001-5006. (C1)

- 6. H-J. Xu, B. Bergersen and K. Chen (1993) "A Plaquet Representation of Ruptures and Models for Earthquakes", J. de Physique 3, 2029-2040. (C1)
- 7. H-J. Xu, B. Bergersen and Z. Racz (1993) "Long-Range Interactions Generated by Random Levy Flights Spin-Flip and Spin-Exchange Kinetic Ising Model in 2 Dimensions" Phys. Rev. E47, 1520-1524. (C1)
- 8. H-J. Xu., B. Bergersen and K. Chen (1992) "Self-Organized Ruptures in an Elastic Medium A Possible Model for Earthquakes" J. Phys. A: Math. Gen. 25, L1251-L1256. (C1)
- 9. H-J. Xu, B. Bergersen and Z. Racz (1992) "Monte-Carlo Simulations on Ising Dipoles Finite Size Scaling and Logarithmic Corrections" J. Phys. Condensed Matter 4, 2035-2042. (C1)
- H-J. Xu , B. Bergersen and Z. Racz (1991) "Ordering of Ising Dipoles" J. Phys. Condensed Matter 3, 4999-5012. (C1)

4.5 Publications of Permanent Members

P.G. Blunden

- 1. Peter G. Blunden and Gerald A. Miller (1996), "Quark-meson coupling model for finite nuclei", Phys. Rev. C54, 359 (1996). (C1)
- Peter G. Blunden and Gerald A. Miller (1996), "Quark-meson coupling model in finite nuclei", Oral presentation at PANIC96, Williamsburg, VA, May, 1996. To be published by World Scientific. (C3)
- 3. A.S. Raskin and P.G. Blunden (1994), Comment on "Collective Modes in Dense Neutrino Systems", Phys. Rev. D50, 7742. (C1)
- 4. J.P. Adams, P.G. Blunden, B. Castel and Y. Okuhara (1993), "Role of Nuclear Structure in the Spin-Isospin Nuclear Response Problem", Phys. Rev. 48C, 1438. (C1)
- 5. P.G. Blunden (1993), "The Nuclear Current Operator: Where Do We Stand?", Workshop on Electron-Nucleus Scattering, Elba, Italy, eds. O. Benhar (World Scientific), in press. (C3)
- 6. K. Tsushima, D.O. Riska and P.G. Blunden (1992), "The Electromagnetic Exchange Current, the Nucleon-Nucleon Interaction, and Nuclear Magnetic Moments", Nucl. Phys. A559, 543. (C1)
- 7. P.G. Blunden and D.O. Riska (1992), "The Isoscalar Electromagnetic Current Operator and the Nucleon-Nucleon Interaction", Nucl. Phys. **A536**, 697. (C1)
- 8. P.G. Blunden and E.J. Kim (1991), "One-Pion Exchange Currents in the QHD Formalism", Nucl. Phys. A531, 461. (C1)
- 9. P.G. Blunden (1990), "Evaluation of Dirac Sca Effects in a Finite System", Phys. Rev. 41C, 1851. (C1)
- 10. P.G. Blunden and C.J. Horowitz (1990), "Elastic Magnetic Electron Scattering and Vacuum Polarization", Phys. Lett. **B240**, 6. (C1)

M.E. Carrington

- 1. M.E. Carrington and U. Heinz (1996), "Three Point Functions at Finite Temperature", preprint hep-th/9606055.
- 2. M.E. Carrington (1996). "The Bosonization of Theories with Pseudo-vector Interactions", Z. Physik C. 1996, in press. (C1)
- 3. M. Burgess and M.E. Carrington (1995), "Boundaries and Junctions in Two Parity Violating Models in 2+1 Dimensions", Phys. Rev. B52, 5052 (1995). (C1)

- 4. M.E. Carrington (1995), "The Meissner Effect in Scalar QED with Magnetic Moment Interactions", Phys. Rev. D51, 4451 (1995). (C1)
- 5. M.E. Carrington and G. Kunstatter (1995), "Maxwell-Chern-Simons Scalar QED with Magnetic Moment Interactions," Phys. Rev. D51, 1903 (1995). (C1)
- 6. M.E. Carrington and G. Kunstatter (1994), "Massless Scalar QED with Non-Minimal Chern-Simons Coupling", Phys. Rev. D50, 2830 (1994). (C1)
- 7. M.E. Carrington and G. Kunstatter (1994), "Phase Transitions in Massless Scalar QED with non-minimally coupled Chern-Simons Term", Phys. Lett. **B321**, 223 (1994). (C1)
- 8. M.E. Carrington (1993), "Self-Consistent Resummation Scheme in Scalar QED", Phys. Rev. D48, 3836 (1993). (C1)
- 9. M.E. Carrington and J.I. Kapusta (1993), "Dynamics of the Electroweak Phase Transition", Phys. Rev. D47, 5304 (1993). (C1)
- 10. M.E. Carrington (1993), "Ring Diagram Summations in the Finite Temperature Effective Potential", Can. J. Phys. 71, 227 (1993). (C1)
- 11. M.E. Carrington (1992), "The Effective Potential at Finite Temperature in the Standard Model", Phys. Rev. D45, 2933 (1992). (C1)
- J. Kapusta, M.E. Carrington, B. Bayman, D.Seibert and C.S. Song (1991), "Super-conducting Phase Transition in a 2D Chern-Simons Theory", Phys. Rev. B44, 7519 (1991).

R.L. Kobes

- 1. P. Aurenche, F. Gelis, R. Kobes and E. Petitgirard (1996), "Breakdown of the hard thermal loop expansion near the light-cone", submitted to Z. Phys. C. (C1)
- 2. P. Aurenche, F. Gelis, R. Kobes and E. Petitgirard (1996), "Enhanced photon production rate on the light cone". Phys. Rev. D (in press). (C1)
- 3. J. Chen, R. Kobes and J. Wang (1996), "Finite layers effect in metallic superlattices", Can. J. Phys. (in press). (C1)
- 4. R. Kobes (1996), "Hard thermal loop resummation methods in hot gauge theories", to appear in the proceedings of the 4th Workshop on Thermal Field Theories and Their Applications (World Scientific, in press). (C3)
- 5. R. Kobes (guest editor) (1996), Memorial issue for Professor Umezawa, Physics Essays (to appear). (B)

- 6. P. Elmfors and R. Kobes (1995), "The thermal β -function in hot Yang-Mills theory", Phys. Rev. D51, 774–780 (1995). (C1)
- 7. P. Kelly, R. Kobes, and G. Kunstatter (1994), "Parameterization invariance and the resolution to the unitary gauge puzzle", Phys. Rev. D50, 7592–7602 (1994). (C1)
- 8. R. Baier and R. Kobes (1994), "Damping rate of a fast fermion in hot QED", Phys. Rev. D50, 5944–5950 (1994). (C1)
- 9. M. van Eijck, R. Kobes, and Ch. G. van Weert (1994), "Transformations of real time thermal Feynman rules", Phys. Rev. D50, 4097-4109 (1994). (C1)
- F.C. Khanna, R. Kobes, G. Kunstatter, and H. Umezawa (editors) (1994), Proceedings of the Banff/CAP School on Thermal Field Theories, (World Scientific, Singapore).
 (B)
- 11. R. Kobes and K. Mak (1993), "Role of the Infrared Cutoff in Fermion Damping Rates", Phys. Rev. D48, 1868-1870. (C1)
- 12. R. Kobes and G. Kunstatter (editors) (1993), The proceedings of the workshop on perturbative methods in hot gauge theories, Can. J. Phys. 71, pp. 205-305. (B)
- 13. R. Kobes, G. Kunstatter and K. Mak (1993), "Damping of Fermions in Hot Gauge Theories", in *The Proceedings of the Workshop on Perturbative Methods in Hot Gauge Theories*. Can. J. Phys. 71, pp. 252-255. (C3)
- 14. R. Kobes, G. Kunstatter and K. Mak (1992), "Fermion Damping in Hot Gauge Theories", Phys. Rev. D45, 4632-4639. (C1)
- 15. R. Kobes (1992), "Feynman Rules for Response Functions at Thermal Equilibrium", Phys. Rev. B45, 3230-3235. (C1)
- 16. R. Kobes (1992). "Comment on: Causal Structure of the Thermal Propagator in Real Time Formalisms", Z. Phys. C53, 537. (C1)
- 17. R. Kobes (1992), "Gauge Independence of the Plasmon Pole", in *Hot Summer Daze:* BNL Summer Study on QCD at Nonzero Temperature and Density, eds. A. Gocksch and R.D. Pisarski (World Scientific, Singapore), pp. 78-84. (C3)
- 18. R. Kobes (1991), "Three-Point Function at Finite Temperature in the Real Time Formalism", Phys. Rev. Lett. 67, 1384-1387. (C1)
- 19. R. Kobes, G. Kunstatter and A. Rebhan (1991), "Gauge Dependence Identities and Their Application at Finite Temperature", Nucl. Phys. **B355**, 1-37, (C1)
- 20. R. Kobes (1991), "Retarded Functions, Dispersion Relations, and Cutkosky Rules at Zero and Finite Temperature", Phys. Rev. D43, 1269-1282. (C1)

- 21. R. Kobes, G. Kunstatter and A. Rebhan (1991), "Gauge Independence at the Gluon Propagator Poles and QCD Plasma Parameters", in *Proceedings of the 25th International Conference on High Energy Physics*, Vol. I., eds. K.K. Phua and Y. Yamaguchi (World Scientific, Singapore). pp. 414-417. (C3)
- 22. R. Kobes (1991), "Comparing Graphs in the Imaginary Time and Real Time Formalisms". in *Thermal Field Theories: Proceedings of the 2nd Workshop on Thermal Field Theories and Their Applications*, eds. H. Ezawa, T. Arimitsu and Y. Hashimoto (Elsevier, Amsterdam), pp. 153-162. (C3)
- 23. R. Kobes, G. Kunstatter and A. Rebhan (1990), "QCD Plasma Parameters and the Gauge Dependent Gluon Propagator", Phys. Rev. Lett. 64, 2992-2995. (C1)
- 24. R. Kobes (1990), "Correspondence Between Imaginary Time and Real Time Finite Temperature Field Theory", Phys. Rev. D42, 562-572. (C1)
- 25. A. Burnel, R. Kobes, G. Kunstatter and K. Mak (1990), "Quantization of Yang-Mills Fields in a General Class of Linear Gauges", Ann. Phys. **204**, 247-280. (C1)
- 26. R. Kobes and G. Kunstatter (1990), "Gluon Response Functions in Non-Standard Gauges", in *The Proceedings of the Vienna Conference on Physical and Non-Standard Gauges*. Lecture Notes in Physics **361**, pp. 272-284. (C3)

G. Kunstatter

- 1. A. Barvinsky and G. Kunstatter (1996), "Exact Physical Black Hole States in Generic 2-D Dilaton Gravity" hep-th/9606134, 1996 (to appear in Physics Letters B). (C1)
- 2. G. Kunstatter, "Black Hole Entropy and Quantum Mechanics in Generic 2-D Dilaton Gravity", Proceedings of the Sixth Moscow Seminar on Quantum Gravity (in press). (C3)
- 3. Domingo Louis-Martinez and G. Kunstatter (1996), "Charged Black Holes in Generic 2-D Dilaton Gravity", Proceedings of the 6th Canadian Meeting on General Relativity and Relativistic Astrophysics, Fredericton, May 1995 (in press). (C3)
- 4. G. Kunstatter (1996), "Exact Quantum States in 2-D Dilaton Gravity" Regional Meeting on General Relativity, Fredericton, April, 1996. (E2)
- 5. G. Kunstatter (1996), "Exact Quantum Black Hole States in Generic 2-D Dilaton Gravity", Second International Sakharov Conference on Physics, Moscow, May 18-23, 1996.(Invited). (C3)
- 6. D. Louis-Martinez and G. Kunstatter (1995), "2-D Dilaton Gravity Coupled to an Abelian Gauge Field", Phys. Rev. D52, 3494-3505 (1995). (C1)
- 7. M. Carrington and G. Kunstatter, (1995) "Maxwell Chern Simons Theory with Magnetic Moment Interactions", Phys. Rev. D51, 1903-1905 (1995). (C1)

- 8. R. Epp and G. Kunstatter (1995), "Dirac vs. Reduced Quantization of the Poincare Symmetry in Scalar Electrodynamics", Phys. Rev. D51, 781-789 (1995). (C1)
- 9. J. Gegenberg, G. Kunstatter and D. Louis-Martinez (1995), "Observables for 2-D Black Holes", Phys. Rev. D51, 1781-1786, (1995). (C1)
- 10. G. Kunstatter and Domingo Louis-Martinez (1995), "Quantum Mechanics and Thermodynamics of Charged Black Holes in Generic 2-D Dilaton Gravity", Proceedings of the CAP Workshop on Mathematical Physics, Quebec. June, 1995 (in press). (C3)
- 11. J. Gegenberg, G. Kunstatter and Domingo Louis-Martinez, (1995) "Classical and Quantum Mechanics of Black Holes in Generic 2-D Dilaton Gravity", Proceedings of the Conference on Heat Kernels and Quantum Gravity, U. of Manitoba, 1994, Discourses in Mathematics and Its Applications, No. 4, 1995, Ed. S. Fulling (Texas A&M Press, College Station, 1995). (C3)
- 12. G. Kunstatter(1995). "Thermodynamics and Quantum Mechanics of Charged 2-D Black Holes", CAP Congress/CAM95, Quebec City, June 11-15, 1995 (Invited). (C3)
- 13. G. Kunstatter, "Quantum Wave Functionals for Charged Black Holes in 2-D Dilaton Gravity", Sixth Quantum Gravity Seminar, Moscow, June 12-19, 1995 (Invited). (C3)
- G. Kunstatter, "Charged Black Holes in 2-D Dilaton Gravity" 6th Canadian Conference on General Relativity and Relativistic Astrophysics". Fredericton, May 25-27, 1995 (Invited). (C3)
- 15. P.F. Kelly, R.L. Kobes and G. Kunstatter, "Parametrization invariance and the Resolution to the Unitary Gauge Puzzle", Phys. Rev. D51 (1995). (C1)
- 16. M.E. Carrington and G. Kunstatter (1994), "Massless Scalar QED with Non-Minimal Chern-Simons Coupling", Phys. Rev. D50, 2830 (1994). (C1)
- 17. D. Louis-Martinez, J. Gegenberg and G. Kunstatter (1994), "Exact Dirac quantization of all 2D dilaton gravity theories", Phys. Lett. **B321**, 193-198 (1994). (C1)
- 18. D. Louis-Martinez and G. Kunstatter (1994), "Birkhoff's theorem in two-dimensional dilaton gravity", Phys. Rev. D49, 5227-5230 (1994). (C1)
- M.E. Carrington and G. Kunstatter (1994), "Phase Transitions in Massless Scalar QED with Non-Minimally Coupled Chern-Simons Term", Phys. Lett. B321, 253-257 (1994).
 (C1)
- 20. J. Gegenberg and G. Kunstatter (1994), "Partition Function for Topological Field Theories', Annals of Physics 231, 270-289 (1994). (C1)
- 21. F.C. Khanna. R. Kobes. G. Kunstatter, and H. Umezawa (editors) (1994), *Proceedings of the Banff/CAP School on Thermal Field Theories* (World Scientific, Singapore). (B)
- 22. J. Gegenberg and G. Kunstatter (1993), "Quantum Theory of Black Holes", Phys. Rev. (Rapid Comm.) D47, R4192-4195 (1993). (C1)

- 23. R. Epp, G. Kunstatter and D.J. Toms (1993), "Path Integral Quantization of Scalar QED", Phys. Rev. D47, 2474-2482 (1993). (C1)
- 24. J. Gegenberg and G. Kunstatter (1993), "Exact Quantum Wave-Functionals for 2-D Black Holes", in *Proceedings of the 5th Conference on General Relativity and Gravitation*. ed. R. Mclenaghan (World Scientific), in press. (C3)
- 25. R. Epp and G. Kunstatter (1993), "Dirac vs. Reduced Quantization of Poincare Invariant Gauge Theories", in *Proceedings of the 5th Conference on General Relativity and Gravitation*. ed. R. Mclenaghan (World Scientific), in press. (C3)
- 26. R. Baier, G. Kunstatter and D. Schiff (1993), "Gauge Fixing Dependence of Gluon and Quark Damping Rates in Hot QCD". in *Proceedings of the Winnipeg Workshop on Perturbative Methods in Hot Gauge Theories*, Can. J. Phys. 71, 208-216. (C3)
- 27. R. Kobes, G. Kunstatter and K. Mak (1993), "Damping of Fermions in Hot Gauge Theories", in *Proceedings of the Winnipeg Workshop on Perturbative Methods in Hot Gauge Theories*, Can. J. Phys. 71, 252-255. (C3)
- 28. G. Kunstatter (1993), "Transversality of the Re-Summed Thermal Gluon Self Energy", in *Proceedings of the Winnipeg Workshop on Perturbative Methods in Hot Gauge Theories*, Can. J. Phys. 71, 256-261. (C3)
- 29. R. Kobes and G. Kunstatter (editors) (1993), The proceedings of the workshop on perturbative methods in hot gauge theories, Can. J. Phys. 71, pp. 205-305 (1993). (B)
- 30. G. Kunstatter (1992), "Dirac vs. Reduced Quantization: A Geometrical Approach", Class. Qu. Grav. 9, 1469-1485 (1992). (C1)
- 31. R. Kobes, G. Kunstatter and K. Mak (1992), "Fermion Damping in Hot Gauge Theories", Phys. Rev. D45, 4632 (1992). (C1)
- 32. R. Baier, G. Kunstatter and D. Schiff (1992), "High Temperature Fermion Damping Rate: Resummation and Gauge Independence", Phys. Rev. D45, R4381-R4384 (1992). (C1)
- 33. R. Baier, G. Kunstatter and D. Schiff (1992), "Gauge Dependence of the Thermal Gluon Self Energy", Nucl. Phys. B388, 287-314 (1992). (C1)
- 34. G. Kunstatter (1992), "Path Integral for Gauge Theories: A Geometrical Approach", in *Proceedings of les Journees Relativistes*, Class. Qu. Grav. 9, S157-S168. (C3)
- 35. R. Kobes, G. Kunstatter and A. Rebhan (1991), "Gauge Dependence Identities and their Application at Finite Temperature", Nucl. Phys. B355, 1-37 (1991). (C1)
- 36. P. Ellicott, G. Kunstatter and D.J. Toms (1991), "Geometrical Interpretation of the Functional Measure for supersymmetric Gauge Theories and of the Gauge Invariant Effective Action", Annals of Physics 205, 70-109 (1991). (C1)

- 37. J. Gegenberg, G. Kunstatter and H.P. Leivo (1991), "A Solvable Theory of Topological Matter Coupled to Gravity in 2+1 Dimensions", in *Proceedings of the 25th Rochester Meeting on High Energy Physics*, eds. K.K. Phua and Y. Yamaguchi (World Scientific, Singapore), pp. 707-710. (C3)
- 38. R. Kobes, G. Kunstatter and A. Rebhan (1991), "Gauge (In)-Dependence of the Gluon Propagator Poles and QCD Plasma Parameters", in *Proceedings of the 25th Rochester Meeting on High Energy Physics*, eds. K.K. Phua and Y. Yamaguchi (World Scientific, Singapore), pp. 414-417. (C3)
- 39. G. Kunstatter (1991). "Geometrical Approach to the Effective Action", in *Proceedings* of the Banff CAP Summer School on Gravitation, eds. R. Mann and P. Wesson (World Scientific, Singapore), pp. 356-400. (C3)
- 40. J. Gegenberg, G. Kunstatter and H.P. Leivo (1991), "The Gravitational Interaction in 2+1 Dimensions", in *Proceedings of the Banff CAP Summer School on Gravitation*, eds. R. Mann and P. Wesson (World Scientific, Singapore), pp. 233-245. (C3)
- 41. G. Kunstatter (1991), "The Great Plasmon Puzzle Resolved", in *Proceedings of the Workshop on Heavy Ion Physics*, Budapest, eds. T. Csorgo, S. Hegyi, B. Lukacs and J. Zimanyi, pp. 108-114. (C3)
- 42. A. Burnel, R. Kobes, G. Kunstatter and K. Mak (1990), "Quantization of Yang-Mills Theories in a General Class of Linear Gauges", Annals of Physics 204, 247-280 (1990). (C1)
- 43. R. Kobes, G. Kunstatter and A. Rebhan (1990), "QCD Plasma Parameters and the Gauge Dependent Gluon Propagator", Phys. Rev. Lett. 64, 2992-2995 (1990). (C1)
- 44. J. Gegenberg, G. Kunstatter and H.P. Leivo (1990), "Topological Matter Coupled to Gravity in 2+1 Dimensions", Phys. Lett. **B252**, 381-386 (1990). (C1)
- 45. J. Gegenberg, P.K. Kelly, G. Kunstatter, R.B. Mann, R. McArthur and D. Vincent (1990). "The Weyl Anomaly in Algebraically Extended Bosonic Sigma Models", in *Proceedings of the Third Canadian Conference on General Relativity and Relativistic Astrophysics*. eds. A. Coley, F. Cooperstock and B. Tupper (World Scientific, Singapore), pp. 127-131. (C3)
- 46. J. Gegenberg and G. Kunstatter (1990), "A Two-Dimensional Sigma Model for Conformally Invariant Spherically Symmetric Gravity", in *Proceedings of the Third Canadian Conference on General Relativity and Relativistic Astrophysics*, eds. A. Coley, F. Cooperstock and B. Tupper (World Scientific, Singapore), pp. 117-121. (C3)
- 47. R. Kobes and G. Kunstatter (1990), "Gluon Response Functions in Non-Covariant Gauges", Lectures Notes in Physics 361, 272-284. (C3)

P.D. Loly

- 1. E.G. Emberly and P.D. Loly (1995), "Fermi Surfaces Coloured with the Group Speed to Reveal Critical Points for Singularities of the Density of States", Mathematica in Education and Research 4.1, 8-13 (1995). (C1) (with electronic supplement "Fermi.ma" on Mathsource)
- 2. P.D. Loly (1994), "Vector Notation: \vec{r} versus r", American Journal of Physics **62**, 105 (1994). (C1)
- 3. A.I. Mogilner and P.D. Loly (1992), "Vanishing Gaps in 1D Bandstructures", J. Phys. A: Math. Gen. 25, L855-860 (1992). (C1)
- 4. X.H. Qu and P.D. Loly (1992), "Two-Magnon Excitations in the Heisenberg Ferromagnet on the Triangular Lattice", J. Phys.: Condensed Matter 4, 5419-5432 (1992). (C1)
- 5. P.D. Loly (1992), "Computers, Technology and Innovative Literature for Undergraduate Physics", Physics in Canada 48, 82-90 (1992). (C2)

T.A. Osborn

- 1. F.H. Molzahn and T.A. Osborn (1994). "Moyal Quantum Mechanics: The Semiclassical Content". [Proceedings of the 4th Drexel Symposium on Quantum Nonintegrability: Quantum Classical Correspondence], in press. (C3)
- 2. T.A. Osborn and F.H. Molzahn (1994), "Moyal Quantum Mechanics: The Semiclassical Heisenberg Dynamics", Annals of Physics, Annals of Physics (NY), 241, 79-127 (1994). (C1)
- 3. A.O. Barvinsky, T.A. Osborn and Yu.V. Gusev (1994), "Phase-space Technique for the Perturbation Expansion of Schrödinger Propagators", J. Math. Phys. (1994), in press. (C1)
- 4. F.H. Molzahn and T.A. Osborn (1994), "A Phase Space Fluctuation Method for Quantum Dynamics", Annals of Physics 230, 343-394 (1994). (C1)
- 5. T.A. Osborn and F.H. Molzahn (1993), "Cluster WKB", in *Mathematical Quantum Theory: Schrödinger Operators*, eds. J. Feldman, R. Froese and L. Rosen, (Canadian Mathematical Society) Conference Proceedings, in press. (C3)
- F.H. Molzahn, T.A. Osborn and S.A. Fulling (1992), "Multi-Scale Semiclassical Approximation for Schrödinger Propagators on Manifold", Annals of Physics 214, 102-142 (1992). (C1)
- 7. A. Saksena, T.A. Osborn and F.H. Molzahn (1991), "An Asymptotic Analysis of Quantum Evolution with Electromagnetic Fields", J. Math. Physics **32**, 938-955 (1991). (C1)

- 8. T.A. Osborn and F.H. Molzahn (1991), "The Wigner-Weyl Transform on Tori and Connected Graph Propagator Representations", in Forty More Years of Ramifications: Spectral Asymptotics and Its Applications, Edited by S.A. Fulling and F.J. Narcowich, Discourses in Mathematics and Its Applications, No. 1, (Department of Mathematics, Texas A & M University, College Station, Texas, 1991), pp. 199-236. (B)
- 9. F.H. Molzahn, T.A. Osborn and S.A. Fulling (1990) "Gauge Invariant Asymptotic Expansion for Schrödinger Propagators on Manifolds", Annals of Physics 204, 64-113 (1990). (C1)
- 10. R.A. Corns and T.A. Osborn (1990) "Representations of Relativistic Propagators for Systems with Non-Abelian Interactions", J. Math. Phys. 31, 901-915 (1990). (C1)

B.W. Southern

- 1. D.A. Lavis and B.W. Southern (1996) "The Inverse of a Symmetric Banded Toeplitz Matrix", Rep. Math. Phys. (accepted July 12, 1996) (C1)
- 2. S.L.M. Cyr. B.W. Southern and D.A. Lavis (1996) "Multi-magnon excitations in Heisenberg spin S chains with next-nearest-neighbour interactions", J. Phys. :Condens. Matter 8, 4781-4795 (1996). (C1)
- 3. H-J. Xu and B.W. Southern (1996) "Phase Transitions in the 2D XY Antiferromagnet on the Triangular Lattice", J. Phys. A:Math. Gen. 29 L133-L139 (1996). (C1)
- 4. B.W. Southern and H-J. Xu (1995) "Monte Carlo Study of the Heisenberg Antiferromagnet on the Triangular Lattice", Phys. Rev. B52, R3836-R3839 (1995). (C1)
- 5. B.W. Southern, R.J. Lee and D.A. Lavis (1994) "Three-Magnon Excitations in Ferromagnetic Spin-S Chains", J. Phys. Condensed Matter 6, 10075-10092 (1994). (C1)
- 6. B.W. Southern and A.P. Young (1993) "Spin Stiffness in Frustrated Antiferromagnets", Phys. Rev. B48, 13170-13173 (1993). (C1)
- 7. P. Katbamna, L.J. Dunne, W. Ford, D.A. Lavis and B.W. Southern (1993), "Continuous Phase Transitions and Orientational Ordering in Monolayers of Zwitterionic Amphiphilic Molecules at Fluid Interfaces", Phys. Stat. Sol. B178, 335-342 (1993). (C1)
- 8. B.W. Southern and Y. Achiam (1993), "Critical Dynamics of the D = 1 Kinetic Ising Model," J. Phys. A.: Math. Gen. 26, 2505-2517 (1993). (C1)
- 9. B.W. Southern and Y. Achiam (1993). "Critical Dynamics and Universality in Kinetic Ising Models Without Translational Invariance." J. Phys. A.: Math. Gen. 26, 2519-2533 (1993). (C1)
- 10. S. Masui, A.E. Jacobs, C. Wicentowich and B.W. Southern (1993), "Metastable States of the Random-Field Ising Chain." J. Phys. A: Math. Gen. 26, 25-37 (1993). (C1)

- 11. Y. Achiam and B.W. Southern (1992), "Critical Dynamics of the Alternating Bond Kinetic Ising Model", J. Phys. A: Math. Gen. 25, L769-773. (C1)
- 12. V.B. Cherepanov, S.L.M. Cyr and B.W. Southern (1992), "Metastable States of the Potts Glass", J. Phys. A: Math. Gen. 25, 4347-4358 (1992). (C1)
- 13. A.J.M. Medved, B.W. Southern and D.A. Lavis (1991), "Two-Magnon States the Alternating-Bond Ferrimagnetic Chain", Phys. Rev. B43, 816-824 (1991). (C1)

J.P. Svenne

- 1. L. Canton, G. Cattapan, P.J. Dortmans, G. Pisent, and J.P. Svenne (1996), "A Meson-Exchange Isobar Model for the $\pi^+d \leftrightarrow pp$ Reaction", Can.J.Phys., 74, 209-225 (1996). (C1)
- 2. L. Canton G. Cattapan, P.J. Dortmans, G. Pisent, W. Schadow, and J.P. Svenne (1995), "The π⁺d ↔ pp and π⁺t ↔ pd Reactions with the Rescattering Model". Invited paper in the Proceedings of the "VI Convengo su problemi di fisica teorica", Cortona, Italy, October 12-14, 1995. Proceedings published as Perspectives on Theoretical Nuclear Physics I. Bombaci, A. Bonaccorso, A. Fabrocini, A. Kievsky, S. Rosati, and M. Viviani, eds (ETS, Pisa, 1996). (C3)
- 3. G. Pisent and J.P. Svenne (1995), "Analysis of compound and quasicompound resonances in a multichannel, finite-rank model", Phys. Rev. C 51, 3211-3221. (C1)
- 4. P.J. Dortmans, L. Canton, G. Cattapan, G. Pisent and J.P. Svenne (1994), "Pion absorption by the deuteron with meson-exchange isobar models", 14th International IUPAP Conference on Few-Body Problems in Physics, Williamsburg, VA, pp. 254-257. Contributed paper, poster and oral presentation. (C3)
- 5. L. Canton, G. Cattapan and J.P. Svenne (1993), "Pion Absorption on ³He. II: Anti-symmetrization and Angular Decomposition of the Faddeev-based Amplitude", Phys. Rev. C 48, 1562-1572 (1993). (C1)
- 6. G. Cattapan, L. Canton and J.P. Svenne (1993), "Re-Examination of the π NNN-NNN Problem", Nuovo Cimento 106A, 1229-1246 (1993). (C1)
- 7. G. Cattapan, L. Canton, G. Cattapan, P.J. Dortmans, G. Pisent, and J.P. Svenne (1991), "Pion absorption in few-nucleon systems", invited paper in *Perspectives in Theoretical Nuclear Physics. Proceedings of the "V Convengo su problemi di fisica teorica" EIPC*, Cortona, Italy (ETS, Pisa), A. Bonaccorso, et al eds., pp. 217-226. (C3)
- 8. G. Cattapan, L. Canton, G. Pisent, G.H. Rawitscher, J.P. Svenne (1991), "Few-Body Aspects of Pion Absorption on A=3 Nuclei", in *Perspectives in Theoretical Nuclear Physics. Proceedings of the "IV Convengo su problemi di fisica teorica" EIPC*, Marciana Martina, Italy (ETS, Pisa), pp. 170-179. (C3)

- 9. L. Canton, G. Cattapan, G. Pisent and J.P. Svenne (1991), "Few-Body Dynamics in Pion Absorption on ³He", contributed paper to Workshop on Mathematical Aspects of Quantum Scattering Theory and Applications, (St. Petersburg, Russia). (C3)
- 10. M.B. Wango, J. Birchall, J.S.C. McKee and J.P. Svenne (1990), "Evidence for Three-Body Forces on p-d Breakup at 25 MeV?", Can. J. Phys. 68, 1200-1202 (1990). (C1)

J.M. Vail

- J.M. Vail, M. Gu, R. Pandey, T. Lu, and E. Emberly (1996) "Calculated Optical Absorption of O⁻ Impurity in BaF₂ Crystal", 13th International Conference on Defects in Insulating Materials, Wake Forest University, Winston-Salem, N.C. July 15-19, 1996. Abstracts, p.58. (E2)
- 2. J.M. Vail (1995) "Local Electronic Properties of Crystals: Theory and Computer Simulation", Proceedings of the International Autumn School-Conference for Young Scientists, Solid State Physics: Fundamentals and Applications, Uzhgorod, Ukraine, September 18–26, 1995 (National Academy of Sciences of Ukraine, Kiev, 1995), pp. L67–L83. (C3)
- 3. T. McMullen, J. Meng, J.M. Vail, and P. Jena, (1995), "Quantum Diffusion of Muonium in Alkali Halides" Physical Review B51, pp. 15879-15884 (1995).(C1)
- 4. J.M. Vail, B.K. Rao (1995), "Electronic-Structure of Crystals: Embedded Quantum Cluster with Overlap" International Journal of Quantum Chemistry., 53, 67-76 (1995). (C1)
- 5. J.M. Vail (1995), "Electronic Structure of Defects in Ionic Crystals", invited paper, International Symposium on Local Order in Condensed Matter Physics, June 14-17,1993, Jekyll Is., GA, S.D. Mahanti, and P. Jena, editors (Nova Science Publishers. Commack NY, 1995) pp.103–109. (C3)
- 6. J.M. Vail (1995), "Embedding Theory and Quantum Cluster Simulation of Point Defects in Ionic Crystals", invited review, in Fundamentals of Materials Science, series ed. M.F. Thorpe, Vol. 1, Electronic Properties of Solids Using Cluster Methods, ed. T.A. Kaplan and S.D. Mahanti, (Plenum Press, NY, 1995) pp.29–39. (D)
- 7. J.M. Vail (1994), "Molecular Cluster Theory Applied to Point Defects in Crystals", invited review, Trends in Chemical Physics, 3, pp. 95-108 (Research Trends, Trivandrum, India, 1994). (D)
- 8. J.M. Vail, T. McMullen, and J. Meng (1994), "Electronic-Structure Determination of Light Impurity-Phonon Interaction in Solids", Phys. Rev. B49, 193-200 (1994). (C1)
- 9. J.M. Vail and R. Pandey (1994), "The Shell Model for Small Oxide Clusters", in Seventh Europhysical Conference on Defects in Insulating Materials, Lyon, France, Abstract PW III 14, p. 38. (E2)

- 10. J.M. Vail and Z. Yang (1993), "Simulation of F, F_2^+ , and $(F_2^+)^*$ Centres in NaF:Mg", Journal of Physics: Condensed Matter, 5.pp.7649-7656 (1993). (C1)
- 11. J.M. Vail, B.K. Rao, (1993), "A Method for the Simulation of Electronic and Structural Properties of Small Clusters on Metallic Substrates", The Second Workshop for the Center for Atomically Engineered and Nanoscale Materials, Oct. 15-16,1993, College Park, MD, Abstracts, p16. (E2)
- 12. R. Pandey, X. Yang, J.M. Vail and J. Zuo (1992), "Derivation of Pair Potentials from First Principles and Simulation of NaF Clusters", Solid State Communications, 5, 549-552 (1992). (C1)
- 13. J.M. Vail and Z. Yang (1992), "Electronic and Atomistic Configuration of the (F₂⁺)* Center in NaF:Mg". International Conference on Defects in Insulating Materials, Nord-kirchen, Germany. August 16-22,1992, Final Program, Abstract Mo-P011, p.66. (E2)
- 14. J.M. Vail and Z. Yang (1992), "A New Method for Simulating Complicated Electronic Defects in Insulators", 94th Annual Meeting, The American Ceramic Society, Minneapolis, MN. April 12-16, 1992, Final Program, Abstract 14-SI-92, p.4. (E2)
- 15. J.M. Vail, R. Pandey and A.B. Kunz (1991). "Embedded Quantum Cluster Simulation of Point Defects and Electronic Band Structures of Ionic Crystals", invited review, Reviews of Solid State Science, 5, pp. 241-283 (1991). (D)
- 16. J. Meng, P. Jena and J.M. Vail (1990), "Hole Trapping in $\text{Li}_x \text{Ni}_{1-x} \text{O}$ ", Journal of Physics: Condensed Matter 2, 10371-10377 (1990). (C1)
- 17. J. Meng, J.M. Vail, A.M. Stoneham and P. Jena (1990), "Charge-State Stability of Ni and Cu Impurities in MgO", Phys. Rev. B42, 1156-1162 (1990). (C1)
- 18. J.M. Vail (1990), "Theory of Electronic Defects: Applications to MgO and Alkali Halides", invited paper, Journal of Physics and Chemistry of Solids **51**, 589-607 (1990). (D)

D. Vincent

- 1. J. Gegenberg, P.K. Kelly, R.B. Mann, and D. Vincent (1990), "Non-Riemannian Space-time and the Nonlinear Sigma Model". in *Proceedings of the Third Canadian Conference on General Relativity and Relativistic Astrophysics*, eds. A. Coley, F. Cooperstock and B. Tupper (World Scientific, Singapore) pp. 122-126. (C3)
- 2. J. Gegenberg, P.K. Kelly, G. Kunstatter, R.B. Mann, R. McArthur and D. Vincent (1990), "The Weyl Anomaly in Algebraically Extended Bosonic Sigma Models", in *Proceedings of the Third Canadian Conference on General Relativity and Relativistic Astrophysics*, eds. A. Coley, F. Cooperstock and B. Tupper (World Scientific, Singapore) pp. 127-131. (C3)

3. J. Gegenberg, P.K. Kelly, R.B. Mann, R. McArthur and D. Vincent, (1990), "Two-Dimensional Gravity", in *Proceedings of the X1th Warsaw Symp. on Elem. Particle Physics*, eds. Z. Adjuk et al.. (World Scientific, Singapore), pp. 57-63. (C3)

J.G. Williams

- 1. K.A. Dunn, T.A. Harriott and J.C. Williams (1996), "Kinks and geodesic incompleteness", Journal of Mathematical Physics, Nov./Dec. 1996, in press. (C1)
- 2. J.C. Williams (1994), "Topologically massive gravity with a fluid source," in Proceedings of the Fifth Canadian Conference on General Relativity and Relativistic Astrophysics, edited by R.B. Mann and R.G. McLenaghan (World Scientific, Singapore), pp. 473-476. (C3)
- 3. J.G. Williams (1994), "Thermodynamics of a rotating and expanding spacetime in 2+1 dimensions," in Proceedings of the Fifth Canadian Conference on General Relativity and Relativistic Astrophysics, edited by R.B. Mann and R.G. McLenaghan (World Scientific, Singapore), pp. 477-480. (C3)
- K.A. Dunn, T.A. Harriott and J.G. Williams (1994), "Extension of the de Sitter kink,"
 J. Math. Phys. 35, 4145-4156 (1994). (C1)
- 5. J.G. Williams (1994), "(2+1)-Dimensional Spacetime with Rotation and Expansion", Gen. Rel. Grav. 26, 499-512 (1994). (C1)
- 6. J.G. Williams (1994), "Topologically Massive Gravity with a Two-Fluid Source", Phys. Rev. D49, 1117-1119 (1994). (C1)
- 7. J.G. Williams (1992), "Rotating Charged Fluid in 2+1 Dimensions", Gen. Rel. Grav. 24, 1083-1090 (1992). (C1)
- 8. J.G. Williams and P. Zvengrowski (1992), "Homotopy classification of metrics in 2+1 dimensions", in *Proceedings of the Sixth Marcel Grossmann Meeting on General Relativity*, edited by H. Sato and T. Nakamura (World Scientific, Singapore), pp. 540-542. (C3)
- 9. J.G. Williams and P. Zvengrowski (1992), "2 + 1 gravity kinks for multiply connected spacetime manifolds", in *Proceedings of the Fourth Canadian Conference on General Relativity and Relativistic Astrophysics*, edited by G. Kunstatter, D.E. Vincent and J.G. Williams (World Scientific, Singapore), pp. 364-367. (C3)
- 10. J.G. Williams, K.A. Dunn and T.A. Harriott (1992), "Kinks in 1 + 1, 2 + 1 and 3 + 1 dimensions". in *Proceedings of the Fourth Canadian Conference on General Relativity and Relativistic Astrophysics*, edited by G. Kunstatter, D.E. Vincent and J.G. Williams (World Scientific, Singapore), pp. 360-363. (C3)
- J.G. Williams, K.A. Dunn and T.A. Harriott (1992), "FLRW Kinks", Phys. Lett. A163, 152-154. (C1)

- 12. J.G. Williams, K.A. Dunn and T.A. Harriott (1992), "Toy Model for Gravitational Kinks", J. Math. Phys. 33, 1437-1444 (1992). (C1)
- 13. J.G. Williams and P. Zvengrowski (1992), "Kink metrics in (2 + 1)-dimensional spacetime", J. Math. Phys. 33, 256-266 (1992). (C1)
- 14. J.G. Williams (1991). "Combed hedgehog kink metric in 2 + 1 dimensions", Gen. Rel. Grav. 23, 181-187 (1991). (C1)
- 15. J.G. Williams, K.A. Dunn and T.A. Harriott (1991), "Kink number in general relativity", J. Math. Phys. 32, 476-479 (1991). (C1)
- 16. J.G. Williams and P. Zvengrowski (1990), "Homotopy and Lorentz metrics in 2 + 1 dimensions", in *Proceedings of the 3rd Canadian Conference on General Relativity and Relativistic Astrophysics*, edited by A.A. Coley, F.I. Cooperstock and B.O.J. Tupper (World Scientific, Singapore), pp. 364-367. (C3)

5 Financial

5.1 Statement of Income and Expenditures

Income

Income Source	Amount
University of Manitoba Carry over from Aug. 31, 1995 Faculty of Science	\$11,258.59 \$3,000
Brandon University Vice President Faculty of Science	\$300.00 \$200.00
University of Winnipeg Vice President (Academic)	\$2,000
Total Funds That Were Available	\$16,758.59

Expenditures

Activity	Particulars	Amount Spent
Seminars		
ļ	(1) Mikhail Karasev. Sept. 14, 1995	\$1,207.52
	(2) David Salopek, Nov. 22, 1995	\$644.12
	(3) Richard Epp, Dec. 12, 1995	\$190.33
	(4) Andrei Barvinsky, Jan. 26, 1996	\$1,000.00
	(5) Terry Goldman. June 11, 1996	\$80.00
	(6) Ian Lawrie, Aug. 1, 1996	\$923.40
	(7) Mikhail Karasev, Sept. 5, 1996	\$999.20
	(8) John Madore, Sept. 27, 1996	\$198.36
	Total Seminar Costs	\$5,242,93
Miscellaneous	FAX, mail, printing, supplies	\$6.86
	Total Expenditures (1995-1996)	
	,	\$5,249.79
_		

In relation to the supporting funds indicated above, it should be pointed out that the members of the Institute use their individual NSERC grants to subsidize Institute activities. Currently the members from the three universities draw upon \$204,900 of individual NSERC Research Grants. In addition, members of the Institute receive research support from other sources, notably NATO, and other external and internal sources, for an additional total of

\$27,600. These funds have a significant fortifying effect on the level of activities in which we are able to engage.

The Institute had no endowment and/or trust fund support. The Institute has no significant space requirements. The occasional long term visitor requires a desk, but these needs have been accommodated by the space available to the physics departments at the member Universities. The host departments also supply occasional secretarial support such as that required for the preparation of seminar notices and research papers.

5.2 Financial Stability, Growth, etc.

The Institute has no substantial fixed costs and for this reason it is an intrinsically stable entity. It can operate in a productive fashion at a variety of funding levels. All of the funds that the Institute receives are transformed directly into its research enhancing activities. The funds allocated to the Institute by supportive administrative bodies such as the Faculty of Science at the University of Manitoba are fortified by the individual NSERC research grants of members. This shows a strong commitment to the Institute by the Institute members. In view of its overall research productivity, in terms of published papers and supervised graduate students, its capacity for running very successful conferences and workshops, and the demonstrated ability to attract excellent short-term and long-term visiting scientists, the Institute is achieving its goals. The Institute membership includes all of the theoretical physicists in the province. Hence its growth relies only upon the associate members (i.e. graduate students, postdoctoral fellows, research associates, etc.) that it can attract. The number and quality of these associate members is entirely dependent on the positive research atmosphere that we can create. This in turn depends highly upon the level of funding that the Institute receives.

The report guidelines suggest that we indicate the percentage of time the members spend on Institute research. Since the Institute's programs enhance the ongoing research interests of its members there is no distinction between individual research and Institute research. The director has spent less than 5% of his time with the administrative aspects of the Institute.